

2025 CONTRACTOR QUIZ
CONTRACTOR QUALIFIED PERSON ORIENTATION
NORTHROP GRUMMAN SPACE SYSTEMS (NGSS), SPACE PARK, CALIFORNIA

Instructions: Choose the correct response. You must answer all the questions correctly to receive a certificate (valid for one year) which meets the minimum Environmental Health and Safety orientation requirements.

1. Which of the following equipment is required to have a South Coast Air Quality District (SCAQMD) permit?
 - a. Generators above 50 bhp
 - b. Paint Gun
 - c. Abrasive blasting equipment
 - d. **All of the above**

2. Per the Northrop Grumman Hot Work Permit, combustible materials must be stored at a minimum distance of at least ____ feet from any type of hot work?
 - a. 5
 - b. 10
 - c. 20
 - d. **35**

3. At a minimum, what is required for confined space entry at Space Park?
 - a. Documentation of the contractors confined space program
 - b. Employee training records
 - c. Air monitoring equipment calibration records
 - d. **All of the above**

4. Extension ladders shall be placed against a building so the base is?
 - a. **1 foot out for every 4 feet in height; the top of the ladder must extend 36 inches above the landing**
 - b. 2 feet out for every 4 feet in height; the top of the ladder must extend 12 inches above the landing
 - c. 3 feet out for every 4 feet in height; the top of the ladder must extend 24 inches above the landing
 - d. 4 feet out for every 4 feet in height; the top of the ladder must extend 36 inches above the landing

5. Contractors are required to utilize fall protection whenever they are within 6 ft. of any unprotected edge of a structure, a hole, or a skylight where the fall distance is 6 ft. or greater?
 - a. **True**
 - b. False

6. If Powered Industrial Trucks are used onsite, the CAL/OSHA operational rules for Powered Industrial Trucks shall be posted in the work area prior to use and for the duration of the project?
 - a. **True**
 - b. False

7. Are generators required to be in a secondary containment?
 - a. **Yes**
 - b. No

8. Are waste bins, hazardous storage containers, and excavation spoil piles required to be covered and secured at the end of each shift?
 - a. No
 - b. **Yes**

9. Unprofessional behavior at Space Park is subject to removal from the site permanently?
 - a. **True**
 - b. False

10. Who is responsible for ensuring the safety data sheets for each hazardous material are always readily available for contractor employees and NGSSS Company Representatives?
 - a. ESH&M
 - b. Security
 - c. **General Contractor**
 - d. Subcontractor