

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

INSTRUCTIONS: Contractors are to review the list below, sorted by manufacturer and product name to identify their hazardous materials and adhere to the corresponding status. To search for a chemical using Adobe Reader or Professional, click on the edit tool and click on search. Type in the manufacturer name and/or chemical name.

https://oasis.northgrum.com/st/docs/SP_CONTRACTORS_LIST.pdf

For hazardous material(s) not on this list, or with a restricted status, the contractor must:

- 1) Submit a Northrop Grumman Contractor Hazardous Material Request Form (K0-F038) with the most current material Safety Data Sheet (SDS) to the Northrop Grumman Facilities Project Engineer (FPE) for Environmental, Health and Safety (EHS) review.
- 2) Receive notification by the Northrop Grumman Facilities Project Engineer of the status prior to bringing any hazardous material on site.
- 3) The contractor is responsible for using materials in a manner consistent with the specified status/restrictions.
- 4) Ensure the SDS is readily available to the users at all times on the job and
- 5) Place the NG Supplier Hazardous Material label (blue/white sticker) on the container indicating the contractor name and the Chemical Review Process number (CRP#).

Contractors not following the above requirements are subject to a project halt by a Northrop Grumman representative.

Unless otherwise noted, chemicals approved or approved with restrictions at Space Park are limited to a maximum of 100 pounds. Quantities in excess of 100 pounds will require resubmittal of Contractor Hazardous Material Request Form (K0-F038) and most current SDS for ESH review.

Contractors must comply with their Hazard Communication program, wear appropriate personal protective equipment (PPE) as specified in the SDS and use the product in an area with adequate ventilation (away from ventilation intakes if used outdoors) to control Northrop Grumman employees exposure. **Questions? Call your FPE.**

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
11168	3D SYSTEMS DURALUM SPEC WHITE POWDER 240 GRIT 7000-02765	APPROVED FOR USE AT SPACE PARK
11049	3D SYSTEMS LASERFORM A6 STEEL MATERIAL (LASER SINTERING)	Restricted to 1 pound indoors given chronic health effects. Prevent dust clouds given explosive potential. Any other use must be submitted for review on a case by case basis.
19498	3M 08-2578-6 TROUBLESHOOTER FINISH REMOVER CONC. NO.21 TWIST	Restricted (not R-A) to 1 quart and used during off hours given flammability and toxicity
18611	3M 10-2656-6 SILICONE LUBRICANT	APPROVED FOR USE AT SPACE PARK
16694	3M 11-4628-1 CC-3 CABLE CLEANING PADS (CABLE CLEANER)	DENIED FOR USE AT SPACE PARK
18600	3M 11-4629-9 CC-4 AND CC-55 (CABLE CLEANER-BULK LIQUID)	APPROVED FOR USE AT SPACE PARK
16250	3M 16-6324-4 SCOTCH-WELD NITRILE INDUSTRIAL ADHESIVE 4491	DENIED FOR USE AT SPACE PARK
12773	3M 600 CONCRETE REPAIR A/B 1:1 V	APPROVED FOR USE AT SPACE PARK
12677	3M 6040/6041 ADHESIVE REMOVER AEROSOL	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
3620	3M 6064 OR 6065 SPRAY-MOUNT ARTIST ADHESIVE PSU	Approved with restrictions. 16 ounces indoors only.
3297	3M 8850 DYNAMARK BRAND DEVELOPER	APPROVED FOR USE AT SPACE PARK
16658	3M BRAND FIRE BARRIER CP-25WB+	APPROVED FOR USE AT SPACE PARK
21676	3M BRAND STAINLESS STEEL CLEANER AND POLISH AEROSOL	Denied per Fire
20079	3M FIRE BARRIER 2000+ PREMIUM SILICONE SEALANT	Approved for use at Space Park.
3256	3M FIRE BARRIER MOLDABLE PUTTY PADS	Approved for use at Space Park. Ensure eye wash in the area of work.
24498	3M FIRE BARRIER RATED FOAM FIP 1-STEP PART A/B 1:1 V	Approved for Use at Space Park
19195	3M FIRE BARRIER WATERTIGHT SEALANT 3000 WT	APPROVED FOR USE AT SPACE PARK
19194	3M FIREDAM 150+ CAULK	APPROVED FOR USE AT SPACE PARK
24290	3M HI-STRENGTH 90 CA AEROSOL LOW 25% VOC SPRAY ADHESIVE	Approved for Space Park & Palmdale
16617	3M HI-STRENGTH 90 CYLINDER SPRAY ADHESIVE (NOT FOR CA)	Restricted on a case by case basis - contractor to comply with their hazard communication program and wear PPE in accordance with MSDS.
16794	3M HI-STRENGTH 94CA POSTFORMING SPRAY ADHESIVE BULK	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
19497	3M NEUTRAL CLEANER CONC(PRODUCT NO 3 TWIST N FILL	Restricted to 1 quart given toxicity of the product .FOR JANITORIAL USE ONLY.
11669	3M NOVEC 72DA (HFE-72DA) ENGINEERED FLUID	APPROVED FOR USE AT SPACE PARK
3525	3M PR-500 MOLDING RESIN	APPROVED FOR USE AT SPACE PARK
16818	3M SCOTCH-BRITE HAND PADS 6448 LIGHT DUTY S-ULF/KS S-ULF	APPROVED FOR USE AT SPACE PARK
11022	3M SCOTCH-WELD EC-3501 ADHESIVE B/A 1:1 V GRAY	Approved for use at Space Park.
9080	3M SCOTCH-WELD EPOXY ADHESIVE EC-2216 GRAY B/A 5:7 W	Ensure eye wash station is in work area
16685	3M SUPER 33+ 88 37 & 15 VINYL ELECTRICAL TAPE-NO LEAD	APPROVED FOR USE AT SPACE PARK
21076	3M SUPER 77CA AEROSOL SPRAY LOW 25 PERCENT VOC	Approved for Space Park
3275	3M VIKING (TM) NEGATIVE DEVELOPER	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
7876	AA READY MIX CEMENT CONCRETE	Outdoor use or limited to 4 cubic yards indoors with adequate ventilation due to chronic toxicity. Ensure eyewash shower in location of work.
16713	ABATIX A00308 HEAVY-DUTY ADHESIVE SPRAY	Restrict quantity to no more than four cans in use at site. Extremely flammable
12899	ABATIX ARM 123 MASTIC REMOVER	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
22699	ACCELLA POLY-SIL 2500 HIGH SOLIDS SILICONE	Use on outdoor roofing operations
11266	ACCESS MARKETING SUPER DUTY SLIME TIRE SEALANT	APPROVED FOR USE AT SPACE PARK
24866	ACE CHEMICAL 9380 JUSTEQ07 MICROBIOCID	Approved for Space Park

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
11061	ADETECH PLASTIC ES-211 RESIN/HARDENER 100:8.33 W	APPROVED FOR USE AT SPACE PARK
589	ADHESIVE VINYL WALL SHUR-STIK #111	Approved for use at Space Park
11646	ADM/OGILVIE ESTRIP GPX-1695	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
4669	AD-TECH GLUE STICK	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
11064	ADTECH PLASTIC EA-605 RESIN/HARDENER 100:13.15 W	APPROVED FOR USE AT SPACE PARK
11063	ADTECH PLASTIC EC-415 RESIN/HARDENER 100:13.42 W	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
10986	ADTECH PLASTIC EL-315/315-2 RESIN/SLOW HARDENER 100:24 W	APPROVED FOR USE AT SPACE PARK-Ensure eye wash and shower within 10 seconds of use as capable of causing irreversible damage.
10985	ADTECH PLASTIC EL-315-1 RESIN/HARDENER 100:19 W	Any use must be submitted for review on a case by case basis
10984	ADTECH PLASTIC EL-315IHL RESIN/HARDENER 100:25 W	APPROVED FOR USE AT SPACE PARK - Ensure eye wash and shower within 10 seconds of use as capable of causing irreversible damage.
11048	ADTECH PLASTIC TCC-602/TCC-119 EPOXY RESIN/HARDENER 100:12 W	APPROVED FOR USE AT SPACE PARK - Ensure eye wash and shower within 10 seconds of use as capable of causing irreversible damage.
11047	ADTECH PLASTIC TCC-605A/B EPOXY RESIN/HARDENER 100:15 W	APPROVED FOR USE AT SPACE PARK
12722	ADVANCED CHEMICAL BT-311 BOILER WATER TREATMENT	APPROVED FOR USE AT SPACE PARK. Ensure eye wash and shower within 10 seconds of use.
21295	ADVANCED CHEMICAL CL-130 CLEANER (GRANULES)	Approved for use at Space Park and ensure eye wash and shower in the immediate area of use..
12725	ADVANCED CHEMICAL CS-405P CLOSED SYSTEM TREATMENT	APPROVED FOR USE AT SPACE PARK
12724	ADVANCED CHEMICAL CT-531 COOLING WATER TREATMENT	APPROVED FOR USE AT SPACE PARK
21294	ADVANCED CHEMICAL CT-810 ALKALINE CLEANER 1:100 WATER	Approved for use at Space Park.
20496	ADVANCED COATING ACU-SHIELD COATING	Approved for use at Space Park.
8083	ADVANCED COMPOSITES ACG XLVR16 B DICARBOXYLIC ANHYDRIDE	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
9800	ADVANCED COMPOSITES HTM512 BMI TOOLING PREPREG	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
11051	ADVANCED COMPOSITES HTM512-1 BISMALIMIDE RESIN PREPREG	APPROVED FOR USE AT SPACE PARK
10832	ADVANCED COMPOSITES LTM317/ZPREG317 PREPREG W/GLASS	Approved for use at Space Park
10846	ADVANCED COMPOSITES LTM317-1/ZPREG317-1 PREPREG W/CARBON	Approved for use at Space Park
10847	ADVANCED COMPOSITES LTM317-1/ZPREG317-1 PREPREG W/GLASS	Approved for use at Space Park
10833	ADVANCED COMPOSITES VTM243/ZPREG243 PREPREG W/CARBON	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
10834	ADVANCED COMPOSITES VTM243/ZPREG243 PREPREG W/GLASS	Approved for use at Space Park
10835	ADVANCED COMPOSITES VTM244/ZPREG244 PREPREG W/CARBON	Approved for use at Space Park
10836	ADVANCED COMPOSITES VTM244/ZPREG244 PREPREG W/GLASS	Approved for use at Space Park
10837	ADVANCED COMPOSITES VTS243 SYNTACTIC RESIN FILM	Approved for use at Space Park
10515	ADVANTAGE CHEMICAL EPOXY 3 COMP PATCH/TUFF COTE HB 1:1 V	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
24214	AERVOE 1380 ALL PURPOSE MARKING PAINT BLACK AEROSOL	Denied for use at Space Park
24215	AERVOE 1383 ALL PURPOSE MARKING PAINT BLUE AEROSOL	Denied for use at Space Park
24217	AERVOE 200 CLEAR MARKING COAT AEROSOL	Denied for use at Space Park
16789	AERVOE 200 SERIES CONSTRUCTION MARKING PAINT (VAR.COLORS)	Approved for use outdoors limited to 16 ounces indoors due to flammability. Any other use must be submitted for review on a case by case basis.
21151	AERVOE 214-219 AERVOE INVERTED MARKING CHALK PSU	Restricted for outdoors use only.
18605	AERVOE 400 SAFETY SOLVENT HD	APPROVED FOR USE AT SPACE PARK
19290	AERVOE 7008 BRITE GALVANIZE COATING 65% ZINC RICH PSU	Restricted to 26 ounces. Any other use must be submitted for review on a case by case basis.
23514	AERVOE COPPER ANTI-SEIZE LUBRICANT (BRUSH TOP)	Restricted for outdoor use or in the chiller room.
17576	AERVOE SURVEY MARKING PAINT (200 SERIES COLORS) AEROSOL	Space Park Site - Restricted to 1-17 ounce aerosol can on site. Any other amount must be submitted for review on a case by case basis.
9879	AGREVO DRIONE INSECTICIDE	APPROVED FOR USE AT SPACE PARK
12582	AGRICHEM AGRI-FOS SYSTEMIC FUNGICIDE	DENIED FOR USE AT SPACE PARK
11267	AGS COMPANY CE-16 CUT-EASE STICK COMPOUND LUBRICANT	Not to be burned indoors. Ensure eye wash and shower if burned outdoors. Any other use will need to be submitted for review on a case by case basis.
12411	AGS COMPANY DIELECTRIC SILICONE GREASE DS-4	APPROVED FOR USE AT SPACE PARK
12385	AIKEN CHEMICAL CARQUEST PURPLE CLEANER	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
1815	AIR LIQUIDE ACETYLENE	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
11223	AIR LIQUIDE NON-FLAMMABLE GAS MIXTURE (OXYGEN ISOBUTYLENE)	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
516	AIR LIQUIDE OXYGEN USP AVIATORS BREATHING OXYGEN (ABO)	DENIED FOR USE AT SPACE PARK
16638	AIR PRODUCTS ACETYLENE GAS	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
16641	AIR PRODUCTS ARGON GAS	APPROVED FOR USE AT SPACE PARK
16639	AIR PRODUCTS NITROGEN	APPROVED FOR USE AT SPACE PARK

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
14220	AIR PRODUCTS OXYGEN GAS	Restricted to 250 cu. ft. as it enhances flammability of other chemicals. Strong oxidizer use with Acetylene requires a valid hotwork permit. Any other use must be submitted for review on a case by case basis.
5643	AIRGAS 001001 ACETYLENE GAS	Space Park Site - ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
12706	AIRGAS 001004 ARGON GAS	Approved for outdoor use. Restricted to 5 cubic feet indoors due to oxygen displacement in a poorly ventilated area. Any other use must be submitted for review on a case by case basis.
9024	AIRGAS 001013 CARBON DIOXIDE GAS	APPROVED FOR SPACE PARK USE
19855	AIRGAS 001025 HELIUM GAS	Approved for use at Space Park.
2054	AIRGAS 001040 NITROGEN GAS	Approved for use at Space Park.
9025	AIRGAS 001043 OXYGEN GAS	Space Park Site - Approve 10 cubic feet at any time. Ensure eyewash shower in area of use. Any other use must be submitted for review on a case by case basis.
12380	AIRGAS 001045 PROPANE GAS	Approved for Space Park Site use
25449	AIRGAS 001180 ARGON REFRIGERATED LIQUID	Restricted to 1 230 liter bottle for use
9026	AIRGAS 001188 NITROGEN REFRIGERATED LIQUID	Approved for outdoor use. Restricted to 5 cf indoors. Any other use must be submitted for review on a case by case basis.
12416	AIRGAS 002004 ARGON 75%/CARBON DIOXIDE 25% GAS MIXTURE	Approved for outdoor use. Restricted to 5 CF indoors. Any other use must be submitted for review on a case by case basis
14087	AIRGAS 002015 MAPP GAS	Restricted to one 2-cu. ft. working cylinder due to extreme flammability. Use requires a valid hotwork permit. Any other use must be submitted for review on a case by case basis.
10012	AIRKEM PROFESSIONAL SCENTS-IT ODOR COUNTERACTANT DISCS	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
8337	AIRTECH GS-43MR VACUUM BAG SEALANT TAPE	Space Park Contractors
18694	AKZO NOBEL (GLIDDEN) GP9200 LIFEMASTER NO VOC SEMI-GLOSS	APPROVED FOR USE AT SPACE PARK
18693	AKZO NOBEL (GLIDDEN) GP9300 LIFEMASTER NO VOC EGGSHELL	APPROVED FOR USE AT SPACE PARK
19688	AKZO NOBEL 3537 GLIDDEN ULTRA HIDE INT/EXT OIL/ALKD SG PAINT	Restricted to outdoors or indoors during NGAS off-hours. Any other use must be approved for use on a case by case basis.
22319	AKZO NOBEL CADOX D-50 MEK PEROXIDE SOLUTION	Approved for use at Space Park in storage areas less than 60C.
20143	AKZO NOBEL LN-903 LIQUID NAILS HD CONSTRUCTION ADHESIVE	Approved for use at Sapce Park
20715	ALFA AESAR A14253 DIMETHYL PHTHALATE	RESTRICTED FOR R&D OR ANALYTICAL USE ONLY
20717	ALFA AESAR A14498 DIETHYL OXALATE	Approved for use at Space Park.
12784	ALFA PRODUCTS 11119 LITHIUM ALUMINATE	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
10036	ALL PURE GENERIC BLEACH 5.25%	Limited to 1 gallon indoors and outdoors given corrosivity. Ensure eye station and shower within 10 sec of work area. Any other use must be submitted on a case by case basis.
10449	ALLIANT 072850 MONOGRAM LOW FOAM DELIMER	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
10450	ALLIANT 540179 WATER BASE STAINLESS STEEL CLEANER	APPROVED FOR USE AT SPACE PARK
16701	ALLIED TUBE & CONDUIT PLASTIC PIPE	Approved for outdoor use if away from ventilation intakes. Restricted from cutting torching or grinding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
16697	ALLIED TUBE & CONDUIT POWER-STRUT GALVANIZED	Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
19935	ALMATIS 149 ACTIVATED ALUMINA	Approved for use at Space Park.
22229	ALON ASPHALT (PARAMOUNT) CONVENTIONAL PAVING ASPHALT CEMENT	Restricted to out door use.
12619	ALPHAMETALS K333-MIL RMA ROSIN FLUX	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
12726	AMBER CHEMICAL AMBER GUARD 215 WATER TREATMENT	Limited to 1 gallon indoors and outdoors given causes permanent eye damage. Ensure eye station and shower within 10 sec of work area. Any other use must be submitted for review on a case by case basis
11099	AMEREX MODEL 530 WET CHEMICAL CHARGE	APPROVED FOR USE AT SPACE PARK
22877	AMERICAN 180 FAST DRY WATERBORNE TRAFFIC MARKING PAINT WHITE	APPROVED FOR SPACE PARK OUTDOOR USE ONLY
20677	AMERICAN ATI SUPER HEAVY DUTY ALL PURPOSE ADHESIVE SPRAY PSU	DENIED FOR USE AT SPACE PARK.
12531	AMERICAN ELECTRIC B-3 CONTAX GREASE	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
21414	AMERICAN POLYWATER CLR CLEAR LUBRICANT	Approved for use at Space Park
18576	AMERICAN POLYWATER DYNA-BLUE LUBRICANT	APPROVED FOR USE AT SPACE PARK
16864	AMERICAN POLYWATER POLYWATER J LUBRICANT	Approved for Space Park use
21191	AMERICAN POLYWATER TYPE HP CLEANER DEGREASER	Denied for use at Space Park.
18797	AMERICAN REFINING GROUP 4392B THERMOIL BATTERY OIL	APPROVED FOR USE AT SPACE PARK
4728	AMERICAN SAFETY AS-550 ANTI-SLIP COATING BASE/CAT 14:1 W	Any use must be submitted for review on a case by case basis
4682	AMERICAN WELDING WELD WIRE MILD STEEL 646(ER70S-2)	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
4683	AMERICAN WELDING WELD WIRE SILICONE BRNZ THW-03SIB301	Any use must be submitted on a case by case basis

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
21171	AMERIGAS ODORIZED COMMERCIAL PROPANE	Restricted as it requires issuance of a Hot Work Permit BEFORE use. Approved for use of one 5 pound container inside a building at any time due to flammability. Any other use must be reviewed on a case by case basis.
27229	AMERIPOLISH DYE N SEAL WB DYE	Approved for use at Space Park.
19249	AMERON 3000/00000- AMERSHIELD WHITE RESIN/CURE 1:1V	DENIED FOR USE AT SPACE PARK.
9266	AMPEC WAXIE METAL-BRITE STAINLESS STEEL CLEANER	APPROVED FOR USE AT SPACE PARK
24852	AMSOIL HEAVY DUTY SYNTHETIC DIESEL OIL	Approved for Space Park.
6143	ANCHOR ANCHORLUBE G-771 METALWORKING (USE CRP 3356)	Approved for use at Space Park
10724	ANDEREROL ROYAL LUBRICANTS ROYCO 868 LUBRICATING OIL	APPROVED FOR USE AT SPACE PARK
19069	ANGELUS BLOCK CONCRETE MASONRY BLOCK	PD- HBA Inc.
21411	ANVIL GRUVLOK QUIK DRY LUBE	Approved for use at Space Park.
21409	ANVIL GRUVLOK STANDARD LUBRICANT	Approved for use at Space Park.
21410	ANVIL GRUVLOK XTREME TEMPERATURE LUBRICANT	Approved for use at Space Park.
19679	AOC K022-CCC-00/NORAC NOROX MEKP-925-H RESIN/CATALYST 6:1 V	Restricted to 7 ounce mixture on site. Ensure eye wash shower in the immediate area as capable causes blindness. Any other use must be reviewed on a case by case basis.
21196	APEX ENGINEERING RYDLYME WATER SCALE CLEANER	Approved for use at Space Park.
21726	AQUAFIN VAPORTIGHT COAT SG3 RESIN/HARDENER A/B 100:50 W	Approved for use at Space Park.
27226	AQUAPHOENIX AD1596-DB ORGANOPHOSPHONATE TITRANT	Approved for use at Space Park.
23007	AQUAPHOENIX AEED2070-B HARDNESS TITRANT HIGH	Approved for use at Space Park.
23005	AQUAPHOENIX AEHA7405-A HARDNESS BUFFER SOLUTION	Approved for use at Space Park.
23006	AQUAPHOENIX AEHA7475-H HARDNESS INDICATOR POWDER	Approved for use at Space Park.
27221	AQUAPHOENIX AEPH1605-A PHENOLPHTHALEIN INDICATOR SOLUTION	Approved for use at Space Park.
27224	AQUAPHOENIX AI6925-A TOTAL ALKALINITY INDICATOR	Approved for use at Space Park.
21228	AQUAPHOENIX BU5004-G BUFFER SOLUTION PH 4.00	Approved for use at Space Park.
25356	AQUAPHOENIX BU5007-G BUFFER SOLUTION PH 7.00	Approved for use at Space Park.
21229	AQUAPHOENIX BU5010-P BUFFER SOLUTION PH 10.00	Approved for use at Space Park.
27227	AQUAPHOENIX CA1100-H CALCIUM HARDNESS INDICATOR POWDER	Approved for use at Space Park.
27220	AQUAPHOENIX CA1119-A CALCIUM HARDNESS BUFFER	Approved for use at Space Park.
27283	AQUAPHOENIX CN9960-B CONDUCTIVITY NEUTRALIZING SOLUTION	Restricted to 12 ounces given highly flammable.
27284	AQUAPHOENIX CS2000-Q CONDUCTIVITY STANDARD 2000 US/CM	Approved for use at Space Park.
27278	AQUAPHOENIX FE3144-A FERROIN INDICATOR SOLUTION 30 ML	Approved for use at Space Park.
27266	AQUAPHOENIX ND2270-B NITRITE TITRANT CAN SOLUTION	Approved for use at Space Park.
27268	AQUAPHOENIX ND2272-B NITRITE TITRANT CAN SOLUTION	Approved for use at Space Park.
27279	AQUAPHOENIX PC8025-B POTASSIUM CHROMATE INDICATOR SOL. 5 W/V	Approved for use at Space Park.
27222	AQUAPHOENIX SA1555-B ALKALINITY TITRANT LOW	Approved for use at Space Park.
27223	AQUAPHOENIX SA1595-B ALKALINITY TITRANT HIGH	Approved for use at Space Park.
27280	AQUAPHOENIX SN3410-B CHLORIDE TITRANT	Approved for use at Space Park.
27281	AQUAPHOENIX ST5205-E STARCH ACID INDICATOR POWDER	Approved for use at Space Park.
22292	AQUA-SERV 1080 CLEANING COMPOUND	Approved for use at Space Park.
22280	AQUA-SERV 1751 ANTISCALANT/ANTIFOULANT	Approved for use at Space Park.
23100	AQUA-SERV 1752D ANTISCALANT/ANTIFOULANT	Approved for use at Space Park.
22435	AQUA-SERV 2302D BOILER TREATMENT	Approved for use at Space Park.
10029	AQUA-SERV 2362 BOILER TREATMENT	Approved for use at Space Park.
22675	AQUA-SERV 2740 BOILER TREATMENT	Approved for outdoor use.
22752	AQUA-SERV 3245 CONDENSATE TREATMENT	Approved for use at Space Park
24273	AQUA-SERV 4492D COOLING WATER TREATMENT	Approved for use at Space Park
22293	AQUA-SERV 4617LM COOLING WATER TREATMENT	Approved for use at Space Park.
22294	AQUA-SERV 4712 COOLING WATER TREATMENT	Approved for use at Space Park.
22295	AQUA-SERV 4817 ANTIFOAM	Approved for use at Space Park.
22281	AQUA-SERV 4913D COOLING WATER TREATMENT	Approved for use at Space Park.
22296	AQUA-SERV 4934D COOLING WATER TREATMENT	Approved for use at Space Park.
22282	AQUA-SERV 4939D COOLING WATER TREATMENT	Approved for use at Space Park.
24272	AQUA-SERV 5425N CLEANER	Approve for use at Space Park.
17595	AQUA-SERV 5484 CLEANER	Approved for use at Space Park.
23101	AQUA-SERV 8380 CLOSED LOOP TREATMENT	Approved for use at Space Park; Palmdale
22434	AQUA-SERV 8385 CLOOSED LOOP TREATMENT	Approved for use at Space Park.
12996	AQUA-SERV 8413 CLOSED LOOP TREATMENT	Approved for use at Space Park.
24274	AQUA-SERV 8413D CLOSED LOOP TREATMENT	Approved for outdoor use only and away from ventilation intakes.
24277	AQUA-SERV 8548 CLOSED LOOP TREATMENT	Approved for outdoor use.
22283	AQUA-SERV 8580 CLOSED LOOP TREATMENT	Approved for use at Space Park.
22284	AQUA-SERV 9110 CLEANING APPLICATION WATER AND COOLING SYSTEM	Approved for use at Space Park
24278	AQUA-SERV ACID 750 SULFURIC ACID	Approved for outdoor use.
22285	AQUA-SERV AS101 SPECIALTY CHEMICAL	Approved for use at Space Park
24168	ARAMSCO CHEMSAFE RAM-TACK SPRAY ADHESIVE AEROSOL	Restricted to 1 container inside the building.
16520	ARDEX ENGINEERED CEMENTS ARDEX CP	APPROVED FOR USE AT SPACE PARK

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
25294	ARIZONA POLYMER APF EPOXY 400 RESIN SYSTEM PART A/B 2:1 V	Approved for use at Space Park.
20130	ARKEMA FORANE 407C REFRIGERANT	Approved for use at Space Park
16886	ARMACELL AP ARMAFLEX	APPROVED FOR USE AT SPACE PARK
16898	ARMACELL ARMAFLEX 520 BLV ADHESIVE	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
16900	ARMACELL ARMAFLEX LOW VOC CONTACT ADHESIVE	DENIED FOR USE AT SPACE PARK
23194	ARMSTRONG S-202 STATIC DISSIPATIVE TILE ADHESIVE	Approved for use at Space Park.
21437	ARMSTRONG S-288 RESIDENTIAL FLOORING ADHESIVE	Approved for use at Space Park.
21628	ARMSTRONG S-485 COMMERCIAL FLOOR CLEANER DILUTED WITH WATER	Approved for use at Space Park.
16529	ARMSTRONG S-515 CLEAN THIN SPREAD TILE ADHESIVE	APPROVED FOR USE AT SPACE PARK
22024	ARMSTRONG S-543 PREMIUM PLUS VINYL SHEET FLOORING ADHESIVE	Approved for use at Space Park
12678	ARMSTRONG S-750 PREMIUM TILE ADHESIVE	APPROVED FOR USE AT SPACE PARK
16817	ASBURY CARBONS GRAPHITE PLUS AEROSOL LUBRICANT	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
21975	ASHLAND 40222 DERAKANE 510 A-40 VINYL ESTER RESIN	Approved outdoors but restricted to off-hour use indoors..
21200	ASHLAND DERAKANE 510 B-400 P EPOXY VINYL	Approved for use at Space Park.
19988	ATLAS COPCO ROTO GLIDE GREEN	Approved for use at Space Park
19990	ATLAS COPCO ROTO Z COMPRESSOR OIL	Approved for use at Space Park.
19991	ATLAS COPCO ROTO-XTEND DUTY FLUID COMPRESSOR OIL	Approved for use at Space Park.
27249	ATLAS ROOFING ACFOAM-II ROOF INSULATION	Approved for use at Space Park.
22157	ATS CHEMBOND PUTTY RESIN/HARDENER 100:15 W	Limited to off hour use only due to toxicity.
22155	ATS CHEMBOND RESIN/RESIN HARDENER 100:15 W	Used outdoors or indoors during off hours.
16773	AVANTOR (MALLINCKRODT BAKER) ACETONE (USE CRP 2537)	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
2063	AXSON WHITE PEROXIDE CREAM HARDENER 50% (DISCONTINUED)	ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
21491	AZON USA AZO-GROUT 424/AZO-CAT 25 BASE/CAT/WATER 100:10:5 W	Restricted to injection application and only during off hours.
19856	BASF [WHITMORE MICRO-GEN] 413973 WASP FREEZE	Approved for use at Space Park.
22350	BASF 252437 DRIVE XLR8 HERBICIDE	Facilities - Landscape Space Park and El Segundo
19858	BASF 256709 TERMIDOR 9.1 PERCENT SC	Approved for use at Space Park.
27409	BASF 30628045 TERMIDOR HE HIGH EFFICIENCY TERMITICIDE	Approved for use at Space Park.
19110	BASF 471574 TERMIDOR DRY TERMITICIDE 0.5% FIPRONIL	Approved for use at Space Park.
22951	BASF 62151 PHANTOM TERMITICIDE/INSECTICIDE	Approved for use at Space Park.
22698	BASF 81522/8000A ELASTOSPRAY ISOCYANATE 1:1 V	Use for outdoor applications with ventilation intakes covered and off hour use.
26744	BASF ACRYL 60 WATER-BASED ACRYLIC BONDING AND MODIFYING MIX	Approved for use at Space Park
22928	BASF ALPINE WSG WATER SOLUBLE GRANULES	Approved for use at Space Park
23241	BASF AUTOFROTH 92-B-0707/9300A RESIN/ISOCYANATE 1:1 V PSU	Restricted for outdoor use.
21396	BASF CHEMREX LEVELPREP RAPID-SETTING SURFACE UNDERLAYMENT	Mixing restricted to outdoors only.
19611	BASF CONSTRUCTION CHEMREX CX-941 POLYURETHANE ADHESIVE	RESTRICTED ON A CASE BY CASE BASIS.
19242	BASF CONSTRUCTION GROUT RC	Restricted to mixing with water outdoors. Ensure eye wash shower in the area of use. Mixing indoors must be submitted for review on a case by case basis.
19859	BASF CY-KICK CS INSECTICIDE	If product is used indoors it must be applied during off-hours.
21581	BASF DEGASEAL 26 ALUMINUM GRAY SEALANT	Approved for use at Space Park.
21582	BASF DEGASEAL 26 WHITE SEALANT	Approved for use at Space Park.
23668	BASF MASTERTOP GP 500 EPOXY COATING CLEAR A/B 2:1 V	Off hour use only if building occupied.
23673	BASF MASTERTOP TC 504 PIGMENTED EPOXY COATING A/B 2:1 V	Use away from ventilation intakes.
24101	BASF MASTERTOP TC 683 FS CLEAR TOPCOAT A/B 1:1 V	Denied for use at Space Park
24102	BASF MASTERTOP TC 683 FS TINT TOPCOAT A/B 1:1 V	Denied for use at Space Park.
24111	BASF MASTERTOP TC 683 LO FLOORING TOPCOAT A/B 1:1 V	Application restricted to off hour use only.
23942	BASF MASTERTOP VB 240FS PART A/B 1:1 V CLEAR	Approved for use at Space Park.
20936	BASF PT B ALPINE FLEA INSECTICIDE WITH IGR AEROSOL	Restricted to storage of 1 gallon and not used when the room is occupied. Ensure ventilation is controlled to other areas.
19476	BASF PT PI PRESSURIZED CONTACT INSECTICIDE AEROSOL	If product is used indoors it must be applied during off-hours.
24301	BASF PT ULTRACIDE PRESSURIZED FLEA INSECTICIDE	If product is used indoors it must be applied during off-hours.
22954	BASF PT WASP-FREEZE II AEROSOL	Approved for use at Space Park.
18798	BATTERY DE-MISTER THERMOIL BATTERY DESULFATER	APPROVED FOR USE AT SPACE PARK
22351	BAYER 06004481 MERIT 2F INSECTICIDE	Facilities - Landscape Space Park and El Segundo
19841	BAYER 10200002537 DRIONE INSECTICIDE	Restricted to 16 ounces per year. Any other use must be reviewed and approved on a case by case basis.
20148	BAYER 10200011452 PREMISE FOAM INSECTICIDE	Approved for use at Space Park.
9874	BAYER 79020090 DELTAGARD G INSECTICIDE GRANULES	Approved for use at Space Park
22948	BAYER 79212690 MAXFORCE QUANTUM ANT BAIT	Approved for use at Space Park.
22946	BAYER 80915004 MAXFORCE IMPACT ROACH GEL BAIT	Approved for use at Space Park.
20859	BAYER DELTADJUST INSECTICIDE	Restricted to off hours use only for indoor application.
22947	BAYER MAXFORCE FC MAGNUM ROACH KILLER BAIT GEL	If product is used indoors it must be applied during off-hours.
9883	BAYER MAXFORCE FC SELECT INSECT ROACH KILLER BAIT GEL	Approved for use at Space Park
18941	BAYER SUSPEND POLYZONE	If product is used indoors it must be applied during off-hours.
22953	BAYER TEMPRID SC INSECTICIDE	If product is used indoors it must be applied during off-hours.

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
23648	BELL LABORATORIES CONTRAC ALL-WEATHER BLOX	Approved for use at Space Park.
19466	BELL LABORATORIES DITRAC ALL-WEATHER BLOX RODENTICIDE	Approved for use at Space Park.
19414	BELZONA 1017 2211(MP HI-BUILD ELASTOMER)SOLIDIFIER/BASE 1:1V	approved for outdoor use only due to respiratory sensitization. Review for indoor use on a case by case basis.
19413	BELZONA 1117 2221 (MP FLUID ELASTOMER) SOLIDIFIER/BASE 1:1V	Approved for outdoor use at Space Park. Any other use indoors must be approved on a case by case basis.
19415	BELZONA 1200 2911NF (ELASTOMER QD CONDITIONER)	DENIED FOR USE AT SPACE PARK
19285	BELZONA 2208/2308 BELZONA 3121 (MR7) BASE/SOLIDIFIER 1:1V	Denied for use at Space Park
19421	BELZONA 3203 4911 (MAGMA TX CONDITIONER) BASE	APPROVED FOR CONTRACTORS USE AT SPACE PARK
19286	BELZONA 5811(IMMERSION GRADE) BASE/SOLIDIFIER 1:1V	R-A. Restricted to outdoor use only given toxicity. Any other use must be submitted for review on a case by case basis. Contractor to comply with their hazard communication program wear PPE in accordance with MSDS and ensure adequate ventilation so as not to expose NG employees.
27382	BENJAMIN 7931X ADVANCE WB INTERIOR ALKYD SEMI-GLOSS BASE 1	Approved for use at Space Park
20856	BERKSHIRE SATPAX 6% IPA / 94% DI H2O CLOTH WIPERS	Restricted to 500 ml IPA on wipes on site. Any other quantity of wipe use must be approved on a case by case basis.
19852	BIO-CIDE OXINE ANTIMICROBIAL PESTICIDE	Approved for Space Park use
17956	BLASTER PB PENETRATING CATALYST AEROSOL	Approved for use at Space Park
23344	BLUE BOX AIR BLUE BOX BIOSURFACTANT CLEANER	Approved for use at Space Park.
26794	BLUE DIAMOND MATERIALS ASPHALT PAVING MIXES	Approved for use at Space Park.
25998	BLUE WATER INDUSTRIES HOT MIX ASPHALT	Approved for use at Space Park.
19936	BONSAL SAKRETE 5000 PLUS HIGH STRENGTH CONCRETE MIX	Approved for use at Space Park.
19967	BOSTIK BIG TILE AND STONE SERIES CEMENT	Mixing is restricted outside of buildings and away from ventilation intakes. Given corrosive nature of the product and causes blindness ensure eyewash station and shower within 10 seconds of use.
19968	BOSTIK D63090 60L LATEX UNDERLAYMENT LIQUID	Approved for use at Space Park.
10755	BOSTIK D-740 SERIES MULTI PURPOSE WALL COVER ADHESIVE	APPROVED FOR USE AT SPACE PARK
16776	BOSTIK WEBCRETE 95 FAST-SETTING FLOOR PATCH	Approved for use at Space Park Palmdale
26955	BP LUBRICANTS 451695 BRAYCOTE 601EF HIGH VACUUM GREASE	Approved for use at Space Park.
26875	BRENNTAG CITRIC ACID ANHYDROUS	Approved for use at Space Park.
19528	BRICKFORM M3-100 BRICKFORM SAFETY-SEAL 100 VOC	FIRE: Restricted to no more than one gallon in use at a time remainder to be stored on exterior of building.
1681	BRULIN 301007 AQUAVANTAGE 815GD	Approved for use at Space Park.
21631	BURKE BR-715 EPOXY ADHESIVE PART A/B 1:1 W	Approved for use at Space Park.
22108	BURNDY BURNDY ALFLUID AND ALFLUID PLUS	Approved for use at Space Park
1376	CABOT CAB-O-SIL M-5 UNTREATED FUMED SILICA	Approved at Space Park.
23553	CANFIELD 100% WATERSAFE LEAD FREE SOLID WIRE SOLDER ALLOY	Approved for use at Space Park.
24114	CARBOLINE 0400S1NL SURFACE CLEANER 3	Approved for use at Space Park.
26533	CARBOLINE 0564S1NL THINNER 236 E	Approved for use at Space Park.
26531	CARBOLINE 0576S1NL THINNER 76	Approved for use at Space Park.
27258	CARBOLINE 215PS1NL PLASITE THINNER 19	Restricted to outdoor use only.
24115	CARBOLINE 8116S1NL GALOSEAL WB INDUSTRIAL COATING	Approved for use at Space Park.
26512	CARBOLINE CARBOGUARD 1340 A/B/THINNER 76 1:1:0.2 V	Approved for use at Space Park.
25160	CARBOLINE CARBOGUARD 1340 WB PRIMER PART A/B 2:1 V	Space Park - Use in outdoor locations only.
17578	CARBOLINE CARBOGUARD 890 VOC A/B/THINNER 236 E 1:1:0.12 V	APPROVED FOR USE AT SPACE PARK
27259	CARBOLINE CARBOMASTIC 94 MC A/B 1:1 V	Restricted to outdoor use only.
25161	CARBOLINE CARBOSEAL 985 FLOOR COATING PART A/B 1:1 V	Space Park - Restricted to outdoor use only.
25163	CARBOLINE CARBOTHANE 134 MC PART A/B 4:1 V	Restricted to outdoor use only or off-hours use with ventilation.
26853	CARBOLINE CARBOXANE 2100 FC PART A/B 4:1	Restricted to use during off hours only
25164	CARBOLINE NON-SKID FILLER NO 1	Approved for use at Space Park.
17579	CARBOLINE PLMSDS 0185A1NL CARBOMASTIC 15 PART A/B 1:1V	APPROVED FOR USE AT SPACE PARK
19595	CARBOLINE PLMSDS0165A5NL BITUMASTIC 300 M PART A	Denied for use at Space Park.
17577	CARBOLINE PLMSDS0255S1NL CARBOCRYLIC 120 (AKA SANITILE 120)	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
27075	CARBOLINE RUSTBOND PART A/B 1:1 V	Approved for use at Space Park.
27255	CARBOLINE THERMO-LAG E100 PART A/B 1:1 V	Approved for use at Space Park.
24441	CARDINAL CHLOROPICRIN WARNING AGENT INSECTICIDE	Approved for use at Space Park.
24276	CARGILL DIAMOND CRYSTAL SOLAR NATURALS SALT CRYSTALS	Approved for use at Space Park
21372	CARROLL W03 WINDA SHINE GLASS HARD SURFACE CLEANING WIPE	Approved for use at Space Park.
8290	CASTROL 461640-US03 BRAYCOTE MICRONIC 601 EF LUBRICANT	Approved for use at Space Park.
26837	CCI CHEMICAL CCI-6483	Approved for use at Space Park.
23356	CCI CHEMICAL CWT-BOILOUT	Approved for use at Space Park
22945	CENTRAL GARDEN 100208730 ESSENTRIA IC3 INSECT CONCENTRATE	Approved for use at Space Park
22930	CENTRAL GARDEN 100208740 ESSENTRIA G GRANULE INSECTICIDE	Approved for use at Space Park.
20008	CERTAINTEED COMMERCIAL INSULATION	Approved for use at Space Park.

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
18872	CERTAINTeed CT 10101-1 SOFT TOUCH DUCT WRAP	Restricted to outdoor use only. Any other use must be submitted for review on a case by case basis.
23023	CETCO SUPER GEL-X	Mix outdoors away from ventilation intakes.
19723	CHEM LINK M-1 STRUCTURAL SEALANT	Approved for use at Space Park.
24098	CHEM PRO CPL4078 LIQUID CHLORINE 12%	Approved for use at Space Park
26975	CHEMICAL GUYS ECOSMART WATERLESS CAR WASH/WAX READY TO USE	Approved for use at Space Park.
22074	CHEMICAL STRATEGIES CSI 4466M ACETONE CMOS GRADE	Approved for use at Space Park.
23268	CHEMICALS 4232 COOLING WATER TREATMENT	Approved for use at Space Park.
23266	CHEMICALS 4492D COOLING WATER TREATMENT	Approved for use at Space Park.
22286	CHEMICALS 7424 MICROBIOCID	Approved for use at Space Park
23270	CHEMICALS 7424 MICROBIOCID (USE CRP 22286)	Approved for use at Space Park
22279	CHEMICALS 7909 STABILIZED BROMIDE BIOCID	Approved for use at Space Park.
16756	CHEMIFAX SHOWERS N STUFF	APPROVED FOR USE AT SPACE PARK
9065	CHEMOURS (DUPONT) FREON 123 (R-123) REFRIGERANT	Approved for use at Space Park
26472	CHEMTRONICS OPTICPREP PRESATURATED WIPE 55NG20	Approved for use at Space Park
24849	CHEVRON 230002 OPEN GEAR GREASE	Approved for use at Space Park
21177	CHEVRON BENZENE TOULENE XYLENE(BTX)/HYDROGENATED PYGAS(HPG)	Restricted for use outdoors up to 5 gallons. Any other use must be reviewed on a case by case basis.
25932	CHEVRON CLARITY HYDRAULIC OIL AW 32 46 68 100	Approved for use at Space Park.
16328	CHEVRON CPS233703 SOLUBLE OIL B	APPROVED FOR USE AT SPACE PARK.
25931	CHEVRON DIESEL FUEL NO 1	Approved for use at Space Park.
9979	CHEVRON REGULAR UNLEADED GASOLINE	Approved for use at Space Park
19873	CHEVRON TEXACO 07962 CAT DEAC PREMIX 50/50	Approved for use at Space Park.
24936	CIM INDUSTRIES 61TN EPOXY PRIMER RESIN/HARDENER 1:1 V	Restricted to outdoor use only.
21725	CIM INDUSTRIES CIM 1000 COATING PREMIX/ACTIVATOR 7:1 W	Restricted to outdoor use only and no more than one gallon of each in use at any given time
20949	CIM INDUSTRIES CIM 1061 COATING PREMIX/ACTIVATOR 6.2:1 W	Restricted to outdoor use only and away from ventilation intakes. Contractors must strictly adhere to ventilation in confined space and PPE requirements and experienced in underground tank coating applications.
2131	CITGO MYSTIK JT-6 HI-TEMP GREASE NGLI NO 2	Approved for use at Space Park.
21153	CL WARD BUTYL GASKET TAPE ADHESIVE	Approved for use at Space Park.
20566	CLAIRE 810 FURNITURE POLISH AEROSOL PSU	Denied per fire.
20549	CLAUSEN ALL PURPOSE SPOT REMOVER	Approved for use at Space Park.
16504	CLAUSEN DUAL CARPET CLEANER	Approved for use at Space Park contingent on a eye wash station within 10 seconds of use of the product.
21033	CLEAN SWEEP TOUGH GUY OIL BASE SWEEPING COMPOUND RED	Approved for use at Space Park
21237	CLIFT INDUSTRIES BIOREM-2000 SURFACE CLEANER	Approved for use at Space Park.
18706	CLOROX COMMERCIAL SOLUTIONS CLOROX GERMICIDAL BLEACH	APPROVED FOR USE AT SPACE PARK
25215	CLOROX DISINFECTING BLEACH 2	Approved for use at Space Park
2514	CLOROX PINE-SOL BRAND CLEANER 1	Approved for use at Space Park
24581	CLOROX PLUS TILEX MOLD AND MILDEW REMOVER	Approved for Space Park Use
21827	COATINGS RESOURCE CR-10 EPOXY FLOORING BASE/ACTIVATOR 4:1 V	Approved for use at Space Park.
19320	COMPAC CORP T-4B #166 DUCT TAPE	APPROVED FOR USE AT SPACE PARK.
24410	COMSTAR CI-POE-A/C-32 SYNTHETIC POLYOL ESTER LUBRICANT OIL	Approved for use at Space Park.
12873	CONOCO PHILLIPS (76 LUBRICANTS) TURBINE OIL 32	APPROVED FOR USE AT SPACE PARK
19850	CONTROLLED RELEASE INSTANT POWDER KEGS	Restricted submit for review on a case by case basis.
19725	COOPER CROUSE HINDS HTL4 HIGH TEMPERATURE THREAD LUBRICANT	Approved for use at Space Park.
18712	COX INDUSTRIES DRICON FIRE RETARDANT TREATED WOOD	APPROVED FOR USE AT SPACE PARK
21978	CPIC FIBERGLASS CONTINUOUS FILAMENT GLASS FIBER	Approved for use at Space Park.
21673	CR LAURENCE CRL 33SC SILICONE SEALANT CLEAR	Approved for use at Space Park
25897	CRAWFORD CVSP VINYL SPACKLING PASTE	Approved for use at Space Park
22109	CRC 02069 CABLE CLEAN HIGH VOLTAGE SPLICE CLEANER AEROSOL	Approved for use at Space Park.
23159	CRC 02150 CABLE CLEAN RD CLEANER AEROSOL	Restricted to outdoor use and away from ventilation intakes.
13077	CRC 18412 ZINC-IT INSTANT COLD GALVANIZE AEROSOL	Space Park Site - Limit to one 16 ounce container due to extreme flammability. Any other use will be submitted for review on a case by case basis.
18908	CRC SL3310 LITHIUM GENERAL PURPOSE GREASE	APPROVED FOR USE AT SPACE PARK
18980	CRC SUPER WHITE MULTI-PURPOSE GREASE (USE CRP 1304)	RESTRICTED TO OFF HOUR USE
17555	CSD/STARTEX DENATURED ALCOHOL	DENIED FOR USE AT SPACE PARK
19621	CTS RAPID SET CEMENT ALL	Retrict to mixing outdoors and away from ventilation intakes.
19903	CTS RAPID SET CONCRETE MIX	Space Park Site: Restricted to mixing outdoors only. Any other use must be approved on a case by case basis.
22733	CTS RAPID SET LEVELFLOR	Approved for use at Space Park.
19210	CTS RAPID SET MORTAR MIX	APPROVED FOR USE AT SPACE PARK.
10275	CTS RAPID SET SUPER FAST SET AND EISENWALL CEMENT	Approved for for use Space Park.
16528	CTS RAPID SET WUNDERFIXX	APPROVED FOR USE AT SPACE PARK.

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
16820	CUMING MICROWAVE C-RAM EVA	APPROVED FOR USE AT SPACE PARK
16821	CUMING MICROWAVE C-RAM SFC POLYURETHANE FOAM	APPROVED FOR USE AT SPACE PARK
16822	CUMING MICROWAVE C-RAM SFC-HPHC POLYURETHANE FOAM	APPROVED FOR USE AT SPACE PARK
19138	CURECRETE CHEMICAL ASHFORD FORMULA	APPROVED FOR USE AT SPACE PARK
20528	CUSTOM AEROSOL ACRYLIC LACQUER AEROSOL (ALL COLORS)	Restricted for use outdoors only and on a case by case basis.
19232	CUSTOM BUILDING 709 RELIBOND CERAMIC TILE ADHESIVE	APPROVED FOR USE AT SPACE PARK.
19233	CUSTOM BUILDING AQUA MIX PENETRATING SEALER	Approved for use at Space Park
24260	CUSTOM BUILDING AQUA MIX SEALER AND COATING REMOVER	Restricted for use per Environmental
22707	CUSTOM BUILDING CEG-LITE EPOXY GROUT RESIN/HARDENER 1:1 W	Mix product outdoors only
20982	CUSTOM BUILDING FUSION PRO SINGLE COMPONENT GROUT	Restricted to mixing outdoors and away from ventilation intakes.
21120	CUSTOM BUILDING POLYBLEND CERAMIC TILE CAULK SANDED	Approved for use at Space Park
19230	CUSTOM BUILDING POLYBLEND NON-SANDED GROUT (ALL COLORS)	Restricted to mixing outdoors and away from ventilation intakes. Any other use must be submitted for review on a case by case basis.
18643	CUSTOM BUILDING POLYBLEND SANDED GROUT	Restricted to mixing outdoors and away from ventilation intakes. Any other use must be submitted for review on a case by case basis.
23600	CUSTOM BUILDING PRISM COLOR CEMENT GROUT (ALL COLORS)	Approved for use at Space Park
23771	CUSTOM BUILDING PROLITE PREMIUM LARGE FORMAT TILE MORTAR	Approved for use at Space Park
18644	CUSTOM BUILDING VERSABOND FLEX MODIFIED THIN-SET MORTAR	Restricted outdoor mixing of 25 pounds and away from ventilation intakes. All other use must be submitted for review on a case by case basis.
19234	CUSTOM BUILDING VERSABOND FORTIFIED MORTAR	Restricted to mixing outdoors only given chronic toxicity. Any other use must be submitted for review on a case by case basis.
8497	CYTEC (ADVANCED COMPOSITES) LTM16 PREIMPREGNATED EPOXY RESIN	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
10831	CYTEC (ADVANCED COMPOSITES) LTM317-1B PREPREG	Approved for use at Space Park
3363	CYTEC BR 127 PRIMER	Any use must be reviewed on a case by case basis
16791	DAP 070798180659 ALEX PAINTERS ACRYLIC LATEX CAULK-ALLCOLORS	APPROVED FOR USE AT SPACE PARK
5031	DAP 18001/18002/18013 KWIK SEAL TUB AND TILE ADHESIVE CAULK	Approved for use at Space Park.
15407	DAP DYNAFLEX 230 CAULK SEALANT (ALL COLORS)	Approved for use at Space Park.
20253	DAP ELASTOPATCH FLEXIBLE PATCHING COMPOUND	Restricted to 1 55 pound container when used indoors. Any other use must be submitted for review on a case by case basis.
10324	DAP KWIK SEAL PLUS KITCHEN AND BATH SEALANT (ALL COLORS)	Approved for use at Space Park.
18578	DAUBOIS 10.04 BOMIX CONCRETE	Mix outdoors in well ventilated areas. Any other mixing method must be submitted for review on a case by case basis.
555	DDP DUPONT MOLYKOTE 111 COMPOUND LUBRICANT	Approved for use at Space Park.
20736	DEB AZURE FOAM WASH	Approved for use at Space Park.
20739	DEB USA GRITTYFOAM HAND CLEANER	Approved for use at Space Park.
20738	DEB USA INSTANTFOAM ALCOHOL HAND SANITIZER	Restricted 2 gallons in use within any building.
21604	DEPENDABLE CUTDOWN II MOISTURE VAPOR BARRIER A/B 1:1 V	Approved for use at Space Park.
10291	DESCO STATGUARD STATIC DISSIPATIVE FLOOR FINISH	Denied by Air Quality
17539	DESIGN POLYMERICS DP 1010 WATER BASED DUCT SEALANT	Approved for use at Space Park
5955	DESIGN POLYMERICS DP 1020 DUCT SEALANT	APPROVED FOR USE AT SPACE PARK
23531	DESIGN POLYMERICS DP 2510 BLACK W/B PROTECTIVE COATING	Apply by brush and allow to dry for at least 4 hours in the duct prior to occupancy of the affected area.
20395	DESIGN POLYMERICS DP 2540 BLACK PROTECTIVE COATING	Contractors to comply with their hazard communication program wear PPE in accordance with MSDS and ensure adequate ventilation so as to not expose NG employees.
19690	DESIGN POLYMERICS DP 3040 WATER BASED VAPOR BARRIER COATING	Approved for use at Space Park.
17589	DESIGN POLYMERICS DP 77 INDUSTRIAL SPRAY ADHESIVE AEROSOL	Restricted to outdoor use only. Any other use must be submitted for review on a case by case basis.
25274	DIAMONDSTONE DIAMOND-EPRIME EPOXY PRIMER A/B 1:1 V	Approved for use at Space Park.
25275	DIAMONDSTONE DIAMOND-HD CLEAR MORTAR PART A/B 1:1 V	Restricted for use to off hours.
25276	DIAMONDSTONE DIAMOND-HD TOPCOAT PART A/B 1:1 V	Approved for use at Space Park.
25259	DIAMONDSTONE DIAMONDSLURRY ESD TOPCOAT A/B 1:1 V	Approve for use at Space Park
25277	DIAMONDSTONE DIAMOND-VJF SEALANT PART A/B 1:1 V	Approved for use at Space Park
25273	DIAMONDSTONE DIAMOND-VRS PRIMER CLEAR A/B 1:1 V	Approved for use at Space Park.
21633	DIVERSEY 04168 PLAZA PLUS SEALER/FINISH	Approved for use at Space Park
22345	DOW AGROSCIENCES DIMENSION EC HERBICIDE	Facilities - Landscape Space Park and El Segundo
22352	DOW AGROSCIENCES GALLERY 75 DRY FLOWABLE HERBICIDE	Facilities - Landscape Space Park and El Segundo
17943	DOW AGROSCIENCES VIKANE GAS FUMIGANT	Restricted to outdoor use only and away from ventilation intakes. Submit for review on a case by case basis.
22881	DOW CHEMICAL AQUAR DB 20 WATER TREATMENT MICROBIOCIDE	Approved for use at Space Park
18592	DOW CHEMICAL LUBRICANT SULLUBE COMPRESSOR OIL	Approved for use at Space Park.
19707	DOW CORNING 03138500 999A SILICONE GLAZING SEALANT ALUMINUM	Approved for use at Space Park.
21212	DOW CORNING 786 SILICONE SEALANT -M WHITE	Approved for use at Space Park.
19613	DOW CORNING 795 SILICONE BUILDING SEALANT GRAY	Approved for use at Space Park.

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
19175	DOW CORNING HVAC/R SEALANT ALUMINUM	APPROVED FOR USE AT SPACE PARK
25687	DOW GREAT STUFF WINDOW AND DOOR INSULATING FOAM SEALANT	Approved for use at Space Park.
22101	DOW VORAMER MR 1105 ISOCYANATE BINDER	Restricted to mixing in the parking lot after hours to Child Care Operations.
21047	DPL ENTERPRISES COIL BRITE II	Approved for use at Space Park.
21048	DPL ENTERPRISES DYNAMITE	Approved for use at Space Park.
21046	DPL ENTERPRISES SPORICIDIN (DISINFECTANT SOLUTION)	Approved for use at Space Park.
19123	DUCTMATE 440 GASKET TAPE	APPROVED FOR USE AT SPACE PARK
10544	DUMOND DCI-009 PEEL AWAY 1 PAINT STRIPPER	Approved for use at Space Park.
16716	DUMOND DCI-026 PEEL AWAY ST-1	Approved for use at Space Park.
5210	DUMOND PEEL AWAY 7 SOLVENT BASED PAINT REMOVER	Approved for use at Space Park.
16715	DUMOND SMART STRIP BY PEEL AWAY	APPROVED FOR USE AT SPACE PARK
19114	DUNN EDWARDS BRPR00-1-WH BLOC-RUST PREMIUM PRIMER WHITE	Review on a case-by-case basis
19253	DUNN EDWARDS ESPROO-0 EFF-STOP PREMIUM PRIMER/SEALER	APPROVED FOR USE AT SPACE PARK.
21164	DUNN EDWARDS SPMA10-1 SUPREMA INTERIOR FLAT PAINT	Approved for use at Space Park.
19509	DUNN EDWARDS SSSL40 SPARTASHIELD LOW SHEEN PAINT	APPROVED FOR USE AT SPACE PARK
24297	DUNN EDWARDS SWLL-10 SPARTAWALL FLAT PAINT	Approved for use at Space Park.
19116	DUNN EDWARDS VNSL00-0 VINYLASTIC SELECT WALL SEALER	Approved for use at Space Park.
19034	DUNN EDWARDS W6079 AQUAFALL LATEX DRY FALL FLAT COATING	Approved for use at Space Park
19508	DUNN EDWARDS WSPRO WB SYN-LUSTRO PREMIUM METAL PRIMER	Approved for Use at Space Park
19083	DUNN-EDWARDS EVSH10 EVERSIELD EXTERIOR FLAT PAINT	Approved for Use at Space Park
16609	DUNN-EDWARDS SPMA30-0 SUPREMA EGG SHELL	APPROVED FOR USE AT SPACE PARK
19710	DUNN-EDWARDS SPMA40 SUPREMA LOW SHEEN PAINT (USE CRP 24211)	Approved for use at Space Park.
6356	DUNN-EDWARDS W704 ACRI-FLAT	APPROVED FOR USE AT SPACE PARK
11400	DUNN-EDWARDS W715 ULTRA-GRIP MULTI-PURPOSE PRIMER WHITE	APPROVED FOR USE AT SPACE PARK
19862	DUPONT 130000036528 ADVION ANT GEL	Approved for use at Space Park.
18635	DUPONT CORLAR SG EPOXY MASTIC LF-63290P FG-090 MIXTURE 2:1V	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
4422	DUPONT FREON 22	Approved for use at Space Park.
18637	DUPONT IMRON 9T11/9T00A:VG805/9M01 CLEAR AC/ADT 4:1:0.5 W	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
18978	DUPONT M0000626 ADVION COCKROACH GEL BAIT	Approved for use at Space Park.
19861	DUPONT M0000641 ADVION ANT BAIT ARENA	Approved for use at Space Park.
19863	DUPONT M0000642 ADVION COCKROACH BAIT ARENA	Approved for use at Space Park.
3232	DUPONT OUST XP HERBICIDE	Facilities - Landscape Space Park and El Segundo
27162	DUR-A-FLEX ACCELERA BP	Approved for use at Space Park.
27154	DUR-A-FLEX ACCELERA EXT RESIN/HARDENER A/B 2:1 W	Approved for use in well ventilated area at Space Park.
26680	DUR-A-FLEX POLY-CRETE COLOR-FAST RESIN/HARDENER/AGGR 1:1:1 W	Restricted to mixing outdoors and away from ventilation intakes
26683	DUR-A-FLEX POLY-CRETE SLB RESIN/HARDENER/AGGR 1:1:1 W	Restricted to mixing outdoors and away from ventilation intakes
26487	DURO DYNE 5164 CCASA-WFTC ADHESIVE WEB FAST TACK AEROSOL	Restricted due to flammability - limit of one case of 12 cans on site at a time
24567	EARTHSAFE PURTABS DISINFECTANT TABLETS	Approved for use at Space Park and Palmdale
7194	EASTMAN TURBO OIL 2389 AVIATION LUBRICANT	APPROVED FOR USE AT SPACE PARK
24169	ECOBOND LEAD DEFENDER PRO	Approved for Space Park
22148	ECOBUST 25222000 ECOBUST EXPANSIVE MORTAR	Approved for use at Space Park
8712	ECOLAB LIME-A-WAY (DELIMER)	Approved for Space Park - ensure eye wash or shower is in are of use.
11917	EDOCO 1125 SILICATE HARDENER & SEALER	APPROVED FOR USE AT SPACE PARK
17569	EDOCO 21-302695 FORM OIL VOC	APPROVED FOR USE AT SPACE PARK
16691	EGS ELECTRICAL GROUP STEEL EMT FITTING	Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
26484	ELGEN AE77 SPRAY ADHESIVE	Denied as it contains up to 70% Methylene Chloride
26486	ELGEN DUCT SEALER	Approved for use at Space Park.
20409	ENNIS WATERBORNE LF FAST DRY TRAFFIC PAINT (ALL COLORS)	Restricted to outdoor use only. Any other use must be reviewed on a case by case basis. Ensure eye wash station within 100 feet of use.
20900	ENTHONE CATALYST 20/A	Approved for use at Space Park.
8424	ENTHONE M-0-N INK BASE/CATALYST 20A BLACK 100:5 W	Approved for use at Space Park
13916	ENTHONE M-0-N MARKING INK	Approved for use at Space Park.
20860	ENVINCIO 655-802 PRENTOX LARVA-LUR CONTAINS PROPOXUR	Approved for use at Space Park.
24825	ENVIRO-ONE ENVIRO-ONE MULTI-PURPOSE CLEANER	Approved for use at Space Park.
12448	EOS OF NORTH AMERICA FINE POLYAMIDE PA 2201	Approved for Use at Space Park
3239	ERGON ASPHALT SS-1H ASPHALT EMULSION	Restricted to outdoor use.
16686	ERICO CADWELD STARTING MATERIAL	Space Park Site Only - any use must be submitted for review on a case by case basis.
19752	ESAB AWS A5.1 A 5.5 ATOM ARC LOW HYDROGEN WELDING ELECTRODES	Use indoors off-hours and with local exhaust.

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
21351	EUCLID CHEMICAL 4505 EUCO SOLVENT	Restricted when non-occupied by NG workers and enhance ventilation in work area to minimize exposure.
21353	EUCLID CHEMICAL 452 EPOXY SYSTEM LV PART A/B 2:1 V	Approved for use at Space Park.
26468	EVEREST 504598000 OPTICELL 3.0 POLYOL SYSTEM	Approved for use at Space Park.
27491	EVEREST EVERCOAT EC COATING	Approved for use at Space Park.
2564	EW SMITH BIO BLU CLEANER AND DEGREASER	Approved for use at Space Park.
19872	EXXON MOBIL 478669-00 CAT DEO 15W-40 DIESEL ENGINE OIL	Approved for use at Space Park.
24854	EXXON MOBIL BOBCAT HYDRAULIC OIL 15 SPECIAL	Approved for use at Space Park.
18979	EXXON MOBIL MOBIL POLYREX EM	APPROVED FOR USE AT SPACE PARK
2152	EXXON MOBIL MOBILGREASE 28	APPROVED FOR SPACE PARK USE
21100	E-Z MIX PRE-MIX PRODUCTS SPEC CONCRETE 3000 (70/30)	Any other use must be reviewed on a case by case basis.
19070	E-Z MIX S M N MORTAR AND WALL MUD	PD- HBA Inc.
12947	FIBERLOCK 5801 LBC LEAD BARRIER COMPOUND TYPE III	APPROVED FOR USE AT SPACE PARK
19392	FIBERLOCK 7460 7469 FIREBOND CONCENTRATE BONDING AGENT	APPROVED FOR USE AT SPACE PARK.
18962	FIBERLOCK 8310 SHOCKWAVE	APPROVED FOR USE AT SPACE PARK.
18707	FIBERLOCK 8315 IAQ 1000 MOLD STAIN REMOVER	APPROVED FOR USE AT SPACE PARK
19419	FIBERLOCK 8320 IAQ 2000 DISINFECTANT AND FUNGICIDE	Approved for use at Space Park. Ensure eye wash/shower is within 10 seconds of use.
17593	FIBERLOCK 8325 IAQ 2500 DISINFECTANT AND FUNGICIDE	Restricted for use as a disinfectant/fungicide.
18963	FIBERLOCK 8360 IAQ 6000 WHITE MOLD RESISTANT COATING	Approved for use at Space Park
20678	FIBERLOCK 8361 IAQ 6100 CLEAR MOLD RESISTANT COATING	Approved for use at Space Park.
24163	FIBERLOCK ABC ASBESTOS BINDING COMPOUND (ALL COLORS)	Approved for use at Space Park
5270	FIBERLOCK FIBERSET PM	APPROVED FOR USE AT SPACE PARK
26473	FIBERLOCK SERPIMASTIC 2418 TROWELABLE/2419 SPRAYABLE COATING	Restricted to use under negative pressure containment.
19972	FIRE PROTECTION 03-150-00 LUBEFIT PIPE JOINT LUBRICANT	Approved for use at Space Park.
21145	FIRE PROTECTION PIPEFIT THREAD SEALING PASTE	Approved for use at Space Park.
27250	FIRESTONE ELEVATE SINGLE-PLY LVOC BONDING ADHESIVE	Restricted to outdoor and exterior use only
27251	FIRESTONE ELEVATE ULTRAPLY TPO CLEAR CUT EDGE SEALANT LVOC	Restricted to outdoor and exterior use only.
27238	FIRESTONE ELEVATE ULTRAPLY TPO MEMBRANE	Approved for use at Space Park.
15727	FLO-KEM FLO-ZYME ENZYME ODOR CONTROL	Approved for use at Space Park.
22349	FMC 1466-10-A DISMISS CA TURF HERBICIDE	Facilities - Landscape Space Park and El Segundo
22952	FMC 1686A TALSTAR PL GRANULAR INSECTICIDE	Approved for Space Park
19864	FMC 6545 CB-80 INSECTICIDE	Restricted to 16 ounces at any time on site. Any other use must be submitted for review on a case by case basis.
18630	FOMO A16304 POLYURETHANE FOAM CLEANER A	Restricted to 24 ounces on-site
22171	FORBO FLOORING 1195 SUSTAIN MARMOLEUM SHEET & TILE ADHESIVE	Approved for use at Space Park
20002	FORBO FLOORING FORBO L 885 ADHESIVE	Approved for use at Space Park.
18874	FORBO FLOORING FORBO L-910 LINOLEUM ADHESIVE	APPROVED FOR USE AT SPACE PARK
23038	FORMOSA SODIUM HYDROXIDE SOLID	Approve for use at Space Park.
4791	FOSTER 802284PM 32-22 ENCAPSULANT	APPROVED FOR USE AT SPACE PARK.
24903	FRANKLIN 4319B TITEBOND ADVANCED POLYMER PANEL ADHESIVE	Approved for use at Space Park.
23051	FRANKLIN 71021A TITEBOND ULTIMATE MP SEALANT LIMESTONE	Approved for use at Space Park
16714	FRANMAR CHEMICAL BEAN-E-DOO MASTIC REMOVER	APPROVED FOR USE AT SPACE PARK
8258	FRAZEE 0220001 PAINT LO GLO INTERIOR ACTYLIC EGGSHELL WHITE	DENIED FOR USE AT SPACE PARK
16394	FYFE TYFO A PAINT	APPROVED FOR USE AT SPACE PARK
16393	FYFE TYFO SCH-41	APPROVED FOR USE AT SPACE PARK
16391	FYFE TYFO-SA00-02 TYFO S COMPONENT A/B 1:1 V	APPROVED FOR USE AT SPACE PARK
16392	FYFE TYFO-WSA00-02 WSB00-02 TYFO WS COMPONENT A/B 1:1 V	APPROVED FOR USE AT SPACE PARK
23054	GAF LEAK BUSTER MATRIX 307 PREMIUM ASPHALT PRIMER	Approved for Space Park use for outdoor locations and ensure ventilation intakes are closed.
23052	GAF MASTERS FLOW WATER-BASED ADHESIVE (WBA) AIR DUCT SEALANT	Approved for use at Space Park.
23055	GAF MATRIX 203 PLASTIC ROOF CEMENT	Approved for Space Park use outdoors and ensure ventilation intakes are closed.
25750	GAF UNITED CLEANER CONCENTRATE/WATER DILUTED 1:10 V	Approved for use at Space Park.
25753	GAF UNITED COATINGS ROOF MATE BASE COAT	Approved for use at Space Park
25754	GAF UNITED COATINGS ROOF MATE TOP COAT	Approved for use at Space Park
25755	GAF UNITED COATINGS SP PRIMER	Approved for use at Space Park.
18926	GE ADVANCED MATERIALS DE7100 ELASTOMIERIC WATERPROOF COAT	APPROVED FOR USE AT SPACE PARK.
21598	GEMINI BFR CUSTOM FILL 122-T-643 TEXTURED BEIGE AEROSOL	DENIED FOR USE AT SPACE PARK
21599	GEMINI BFR CUSTOM FILL HUNTAIR WHITE AEROSOL	DENIED FOR USE AT SPACE PARK
19654	GEORGE FISHER GF CONTAIN IT CARTRIDGE ADHESIVE A/B 0.9:0.1 V	Restricted one Part A and B one gallon container outdoors or used indoors during off hours. Any other use must be reviewed and approved on a case by case basis.
21912	GLIDDEN GL3210 ULTRA-HIDE AQUACRYLIC GRIPPER PRIMER-SEALER	Approved for use at Space Park.
20003	GRABBER GGEFC10 GRABBERGUARD EFC FIRE CAULK	Approved for use at Space Park.
20147	GRABBER GGIFC29 GRABBERGUARD IFC FIRE CAULK	Approved for use at Space Park.

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
8343	GRACE Z-01785 (Z-01444) MONOKOTE ACCELERATOR	Approved with restriction of an eye wash/shower station in the immediate area of work.
23632	GREENFIELD PHARMCO (PRO-SAFE) 70% ISOPROPYL ALCOHOL	Approved for Use at Space Park
22341	GROWTH PRODUCTS CLASSIC 18-3-6 LIQUID FERTILIZER SOLUTION	Facilities - Landscape Space Park and El Segundo
3954	H.B. FULLER FOSTER 40-20 FUNGICIDAL PROTECTIVE COATING	Approved for use at Space Park.
27012	HACH 1442917 ACETONE	Approved for use at Space Park.
25891	HAMILTIN EXCELSIOR WB-600 WALL BASE ADHESIVE	Approved for use at Space Park.
4284	HAMILTON ALL PURPOSE JOINT COMPOUND	Approved for use at Space Park & Palmdale
12664	HAMILTON GREEN DOT TOPPING COMPOUND	Approved for use at Space Park & Palmdale
16903	HARRIS 0082 DYNAFLOW PHOS/COPPER BRAZING ALLOYS	APPROVED FOR USE AT SPACE PARK
19136	HARRIS 0123 METAL ALLOY	APPROVED FOR USE AT SPACE PARK
15750	HARRIS BRIDGIT LEAD FREE SOLDER	Approved for use at Space Park. Ensure adequate eye wash shower in area.
20197	HARRIS PRODUCTS ER309L WELDING STAINLESS STEEL WIRE OR ROD	Restricted to welding outdoors only. Any other use must be submitted for review on a case by case basis.
25725	HARRIS SAFETY SILV 34T CW FLUX CORED SILVER BRAZING ALLOY	Approved for use at Space Park.
7417	HARRIS STAY-SILV BRAZING FLUX	Approved for use at Space Park.
10021	HASA SODIUM HYPOCHLORITE 12.5% SOLUTION	Restricted to one container. Ensure eye wash/shower in the area of use. Reviewed on a case by case basis.
19135	HB FULLER (SPECIALTY) 802414PM FOSTER 85-20 ADHESIVE	DENIED FOR USE AT SPACE PARK
21475	HB FULLER 830507PM DD (DOUBLE DOWN) PREMIUM ADHESIVE	Approved for use at Space Park.
17777	HB FULLER CHAPCO 400 SAFE-SET COVE BASE ADHESIVE	Approved for use at Space Park
19174	HB FULLER CP0110 CHILDERS CP-11	APPROVED FOR USE AT SPACE PARK
18720	HELMITIN 59-007 BURKE 101 ACRYLIC WALL BASE ADHESIVE	Approved for use at Space Park.
21630	HELMITIN BURKE BR-711 STAIR TREAD AND TILE ADHESIVE	Approved for use at Space Park.
21122	HENKEL 1514750 LOCTITE POLYSEAMSEAL ALL PURPOSE CAULK WHITE	ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
3618	HENKEL 19269 LOCTITE SF 7649 PRIMER (LOCTITE PRIMER N)	Approved for outdoor use. Restricted to 1 gallon indoors due to extreme flammability
9003	HENKEL LOCTITE 515 GASKET MAKER ADHESIVE	Approved for use at Space Park.
11258	HENKEL LOCTITE 565 THREAD SEALANT CONTROLLED STRENGTH PST	Approved for use at Space Park.
19929	HENKEL LOCTITE 641 RETAINING COMPOUND	Approved for use at Space Park.
23302	HENKEL LOCTITE 648 RETAINING COMPOUND	Approved for use at Space Park.
2073	HENKEL LOCTITE EA 956 AERO ADHESIVE PART A/B 100:58 W	Approved for use at Space Park. Ensure eye wash and washing facility within 10 seconds of use.
23301	HENKEL LOCTITE ECCOBOND UV 3000 ADHESIVE	Approved for use at Space Park.
24899	HENKEL LOCTITE TITEFOAM	Restricted to one can use at a time with additional local exhaust ventilation. Off-hour use only
18654	HENKEL PL PREMIUM POLYURETHANE CONSTRUCTION ADH LOW VOC	Limited to two tubes given respiratory sensitization. Any other use must be submitted for review on a case by case basis.
20951	HENKEL SOFT SCRUB WITH BLEACH DISINFECTANT CLEANSER	Approved for use at Space Park
23059	HENRY 900 CONSTRUCTION AND FLASHING SEALANT	Approved for use at Space Park.
16643	HENRY HE208 WET PATCH ROOF CEMENT	Restricted to outdoor use only. Any other use must be submitted for review on a case by case basis.
7433	HERCULES 44 CHEMICAL DARK CUTTING OIL	DENIED FOR USE AT SPACE PARK
3996	HERCULES CHEMICAL 7375E HERCULES PROPOXY 20	Approved for use at Space Park
8996	HERCULES CHEMICAL CLEAR CUTTING OIL	Approved for use at Space Park.
21682	HERCULES MEGALOC MULTI-PURPOSE THREAD SEALANT	Approved for use at Space Park.
4848	HERCULES STAPUT PLUMBERS PUTTY	Approved for use at Space Park.
18603	HESS 9950 GASOLINE ALL GRADES	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
17529	HILL BROTHERSCX01000 XYLENE	DENIED FOR USE AT SPACE PARK
18714	HILTI 101 SAFETY BOOSTERS 22 25 27 CALIBER BLANK CARTRIDGES	APPROVED FOR USE AT SPACE PARK
16653	HILTI 259 FS-ONE HI PERFORMANCE INTUMESCENT FIRESTOP SEALANT	APPROVED FOR USE AT SPACE PARK
16654	HILTI 266 CP 601S ELASTOMERIC FIRESTOP SEALANT	APPROVED FOR USE AT SPACE PARK
16657	HILTI 270 MINERAL WOOL	APPROVED FOR USE AT SPACE PARK
16655	HILTI 283 CP 604 SELF-LEVELING FIRESTOP SEALANT	APPROVED FOR USE AT SPACE PARK
18691	HILTI 318 HIT-RE-500 SD A/B 1:1 V	APPROVED FOR USE AT SPACE PARK
23095	HILTI CF 116 INSULATING FOAM SEALANT AEROSOL	Restricted to outdoor use only.
19680	HILTI CF 810 CRACK AND JOINT FOAM	Restricted to outdoor use or indoors during off hours. Limited to 4 23 ounce containers. Any other use must be reviewed on a case by case basis.
24497	HILTI CF-AS CJP ALL SEASON FIREBLOCK FOAM AEROSOL	Denied for use at Space Park
16656	HILTI CP 606 FIRESTOP ACRYLIC SEALANT	APPROVED FOR USE AT SPACE PARK
24486	HILTI CP 620 FIRESTOP FOAM A/B 2:1 V	Approved for use at Space Park
19617	HILTI CP 672 FIRESTOP JOINT SPEED SPRAY	Approved for use at Space Park.
18597	HILTI FIRESTOP PUTTY CP617 PAD CP618 STICK CP619T ROLL	APPROVED FOR USE AT SPACE PARK
23404	HILTI FS-ONE MAX HI PERFORMANCE INTUMESCENT FIRESTOP SEALANT	Approved for use at Space Park.

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
20209	HILTI HIT-HY 150 MAX RESIN/HARDENER FOIL PACK CARTRIDGE	Approved for use at Space Park.
20888	HILTI HIT-HY 200-R ADHESIVE ANCHORING SYSTEM CARTRIDGE	Approved for use at Space Park
12957	HILTI HIT-RE 500 V3 HIGH STRENGTH ADHESIVE A/B 1:1 V	APPROVED FOR USE AT SPACE PARK
16652	HOBART BROTHERS ER SERIES AWS WELDING ELECTRODES (VARIOUS)	Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
16649	HOBART BROTHERS GROUP C WELDING ELECTRODES (VARIOUS)	Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
21543	HOMAX 2416 SMOOTH ROLL ON TEXTURE	Approved for use at Space Park.
21544	HOMAX 2417 SAND ROLL ON TEXTURE	Approved for use at Space Park
21545	HOMAX 2418 COARSE ROLL ON TEXTURE	Approved for use at Space Park
8311	HONEYWELL (ALLIED SIGNAL) GENETRON 404A	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
9826	HONEYWELL (ALLIED SIGNAL) GENETRON MP-39 (R-401A) REFRIGER	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
3737	HONEYWELL GENETRON 22 CHLORODIFLUOROMETHANE	Approved for use at Space Park
16580	HONEYWELL GENETRON 410A REFRIGERANT (AZ-20)	Approved for use at Space Park
19401	HR PRODUCTS CHRISTYS PURPLE PRIMER	Restricted to 2-12 ounce containers given extreme flammability and can cause severe eye injury
20073	HSI FIRE AND SAFETY (CHICAGO) SMOKECHECK 25S AEROSOL	Restricted to no more than two cans in the building. The rest of product to be stored outside.
17580	HUMCO HOLDING GOUP ISOPROPL RUBBING ALCOHOL 70%	DENIED FOR USE AT SPACE PARK
19357	HYDROTEX G-10 DELUX 670 COPR GEAR COTE	Approved for Contractors use at Space Park
16374	ICI 3210-1200 AQUACRYLIC GRIPPER ALL PURP STAIN KILLER	APPROVED FOR USE AT SPACE PARK
16832	ICI PAINTS 4160 DEVGUARD MULTI-PURPOSE TANK&STRUCTURAL PRIME	DENIED FOR USE AT SPACE PARK
16831	ICI PAINTS 4328 DEVSHIELD INT/EXT ALKYD URETHANE GLOSS ENAME	DENIED FOR USE AT SPACE PARK
16375	ICI TRUGLAZE WB 4426 EPOXY	APPROVED FOR USE AT SPACE PARK
16783	IDEAL AQUA-GEL II UTILITY CABLE PULLING LUBRICANT	APPROVED FOR USE AT SPACE PARK
10822	IDEAL CLEAR GLIDE WIRE PULLING LUBRICANT (31 SERIES)	APPROVED FOR USE AT SPACE PARK
16683	IDEAL INDUSTRIES 30-451 WING-NUT WIRE CONNECTORS-ALL MODELS	APPROVED FOR USE AT SPACE PARK
16693	IDEAL INDUSTRIES CABLE TIES - ALL 15 SERIES	APPROVED FOR USE AT SPACE PARK
5895	IDEAL INDUSTRIES NOALOX ANTI OXIDANT	APPROVED FOR CONTRACTOR USE USE AT SPACE PARK
3932	IDEAL INDUSTRIES YELLOW 77 PRO WIRE PULLING LUBRICANT	APPROVED FOR USE AT SPACE PARK
10575	IDEAL NOALOX ANTIOXIDANT (USE CRP 5895)	Approved for use at Space Park and El Segundo
16690	IDEAL WT WIRE CONNECTORS-ALL MODELS	Approved for outdoor use if away from ventilation intakes. Restricted from indoor use if heated. Any other use must be submitted for review on a case by case basis.
24902	IDEALSEAL MS600 INSTANT GRAB ADHESIVE SEALANT	Approved for use at Space Park.
18607	IMPERIAL OIL 6434 MOBILGREASE 28	APPROVED FOR USE AT SPACE PARK
23141	INFLOW FR-07/FRT-07 RUBBERSEAL WATERPROOF PROTECTIVE COATING	Restricted offhours only
12660	INGERSOLL-RAND ALL SEASON SELECT LUBRICANT	Approved for use at Space Park
16600	INLINE 707 LOW ODOR MASTIC REMOVER	APPROVED FOR USE AT SPACE PARK
22950	INNOLYTICS OVOCONTROL P AND OVOCONTROL S	Approved for use at Space Park.
23656	INNOSTAR KINGSPAN (NS) NON-SKINNING BUTYL SEALANT	Approved for use at Space Park
18655	INPRO INPRO BOND ADHESIVE	APPROVED FOR USE AT SPACE PARK
24008	INTERNATIONAL CHEMTEX B-847 WATER TREATMENT ADDITIVE	Approve for use at Space Park.
16636	INTERNATIONAL INDUSTRIAL GASES PROPANE	Approved for outdoor use. Restricted to one 2â€u. ft. container indoors. Any other use must be submitted for review on a case by case basis.
25884	INTERPLASTIC CIPP ISO POLYESTER RESIN	Approved for use at Space Park.
26839	INTERPLASTIC COREZYN CORVE8401 VINYL ESTER RESIN	Approved for use at Space Park.
19564	IPS SEAM-IT 2-COMPONENT SOLID SURFACE JOINT ADHESIVE 10:1 V	Restricted to one tube. Any other use must be approved on a case by case basis.
16647	IPS WELD-ON 2771 & 2773 LOW VOC PIPE CEMENT FOR ABS PLASTIC	Approved for outdoor use if away from ventilation intakes. Restricted to 16 ounces indoors due to extreme flammability and chronic toxicity. Any other use must be submitted for review on a case by case basis.
3795	IPS WELD-ON 505 KEY-TITE LOW VOC PIPE JOINT COMPOUND	Approved for use at Space Park.
21573	IPS WELD-ON 750 HOTWELD LOW VOC CEMENT FOR PVC PIPE	Approved for use at Space Park and no more than 1 pint at any time on site.
18604	IPS WELD-ON DUIT 413 LOW VOC PIPE CEMENT/P-68 PRIMER 1:1 V	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
16644	IPS WELD-ON P70 LOW VOC PRIMER (USE CRP 1759)	Approved for outdoor use. Restricted to 16 ounces indoors due to extreme flammability. Any other use must be submitted for review on a case by case basis.
1759	IPS WELD-ON P-70 LOW VOC PRIMER PVC AND CPVC PLASTIC PIPE	Limited to 2 quarts stored outdoors and for exterior use only. Any other use must be reviewed on a case by case basis.

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
16819	IRWIN BLUE CHALK STANDARD	APPROVED FOR USE AT SPACE PARK
19193	IRWIN CHALK - BLACK RED-WHITE VAR OTHER COLORS	APPROVED FOR USE AT SPACE PARK
21166	ITW CHEMTRONICS ES6100 ELECTRO-WASH VZ CLEANER DEGREASER	Denied for use at Space Park.
21772	ITW PACIFIC POLYMERS ELASTO-DECK 5001 NON-GASSING	Approved for off hour use outdoors
21771	ITW PACIFIC POLYMERS ELASTO-GLAZE 6001 AL-HT TOPCOAT SEALER	Restricted for off hour use.
21774	ITW PACIFIC POLYMERS ELASTO-POXY PRIMER WB PART A/B 1:3.5 V	Approved for use at Space Park
11658	ITW POLYMER AS-75/NS-25 ANTI-SLIP COATING (ALL COLORS)	Approved for use at Space Park.
20981	JAMES HARDIE HARDIEBACKER 500 CEMENT BOARD	Restricted to mixing outdoors in a well ventilated area.
16682	JB WELD 48008 48105 48155 48171 EPOXY STEEL HARDENER	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
21259	JB WELD 8267-S STEELSTIK/J-B STIK EPOXY PUTTY	Approved for use at Space Park.
19648	JC WHITLAM BLUE MAGIC INDUSTRIAL GRADE PIPE THREAD COMPOUND	Denied for use at Space Park.
23548	JC WHITLAM POWER SEAL PLUS THREAD SEALING COMPOUND WITH PTFE	Approved for use at Space Park
4845	JET-LUBE KOPR-KOTE LUBRICANT	Approved for use at Space Park.
27303	JOHNS MANVILLE JM SINGLE PLY MEMBRANE CLEANER (LOW VOC)	Restricted to one gallon.
21213	JOHNS MANVILLE ZESTON PERMA-WELD ADHESIVE	Denied for use at Space Park
19176	JOHNS MANVILLE1009 FIBER GLASS WOOL COMMERCIAL INSULATION	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
24374	JOHNSONS 5594 JACK OIL	Approved for use at Space Park.
20146	JOHNSON CONTROLS YORK K OIL	Approved for use at Space Park.
19569	JOHNSON LAMINATING JOHNSON HIGH PERFORMANCE FILM	APPROVED FOR USE AT SPACE PARK.
19213	JPS COMPOSITE 1093 WOVEN FIBERGLASS FABRIC	APPROVED FOR USE AT SPACE PARK.
19588	JR SIMPLOT BEST PLANT TAB 20-10-5 SLOW RELEASE FERTILIZER	APPROVED FOR USE AT SPACE PARK.
19589	JR SIMPLOT BEST TRIPLE TWELVE 12-12-12 GENERAL FERTILIZER	APPROVED FOR USE AT SPACE PARK.
19593	JTM PRODUCTS EASE ON WATER DISPERSIBLE PIPE JOINT LUBRICANT	Approved for use at Space Park.
16320	KANO KROIL (AEROKROIL) PENETRANT AEROSOL	Restricted to one 18 ounce container. Any other quantity of use must be submitted for review on a case by case basis.
21194	KANO PENEPHITE PENETRANT	Approved for use at Space Park.
25934	KB SLURRYPRO CDP FLUID ADDITIVE	Approved for use at Space Park.
23946	KEY 108 EPOXY TERRAZZO MATRIX RESIN/HARDENER A/B 5:1 V	Approved for use at Space Park.
23945	KEY 502 EPOXY PRIMER RESIN/HARDENER A/B 2:1 V	Approved for use at Space Park.
23947	KEY 580 FLEXIBLE EPOXY COATING RESIN/HARDENER A/B 1:1 V	Approved for use at Space Park.
16764	KIMBERLY-CLARK 91554 KIMCARE ANTIBACTERIAL SKIN CLEANSER	APPROVED FOR USE AT SPACE PARK
22646	KINGSCOTE 106000 BRIGHT DYES INDUSTRIAL RED LIQUID	Approved for use at Space Park
22648	KINGSCOTE 106002 BRIGHT DYES STANDARD BLUE LIQUID	Approved for use at Space Park
27414	KIRSCH BUILDING PRODUCTS SHARKSKIN ULTRA SA	Approved for use at Space Park.
24375	KLUBER KLUBERALFA GR Y VAC 3 LUBRICANT	Approved for use at Space Park.
19125	KNAUF INSULATION 1014 FIBER GLASS INSULATION-ECOSE-TECHNOLOG	APPROVED FOR USE AT SPACE PARK
24325	KOST USA ACHIEVAL FRH 200 FIRE RESISTANT HYDRAULIC FLUID	Approved for use at Space Park.
21521	KOSTER KOSTER VAP I 2000 ADHESIVE PART A/B 2.4:1 V	Approved for use at Space Park and ensure eye wash and ample water to flush the affected area for at least 15 minutes.
16786	L.H.DOTTIE HF340 HANDI-FOAM	Approved for outdoor use if away from ventilation intake. Restricted to 1 gallon indoors due to chronic health effects. Any other use must be submitted for review on a case by case basis.
16787	L.H.DOTTIE PV-16 32 PVC SOLVENT	DENIED FOR USE AT SPACE PARK
16784	L.H.DOTTIE RKM1 DOTTIE RAIN KOTE	Approved for outdoor use if away from ventilation intake. Restricted to 1 gallon indoors due to chronic health effects. Any other use must be submitted for review on a case by case basis.
16790	L.H.DOTTIE RTV3 8 10 RTV SILICONE SEALANT	APPROVED FOR USE AT SPACE PARK
21265	LA-CO MARKAL COOL GEL HEAT DISSIPATING GEL	Approved for use at Space Park.
16640	LA-CO MARKAL PIPETITE PASTE	DENIED FOR USE AT SPACE PARK
4428	LA-CO MARKAL SLIC-TITE PASTE WITH PTFE	APPROVED FOR USE AT SPACE PARK
7564	LA-CO MARKAL SLIC-TITE TEFLON THREAD SEALING COMPOUND	APPROVED FOR USE AT SPACE PARK
20564	LAGASSE A00183 BOARDWALK GUM BUSTER GUM REMOVER	Denied for use at Space Park.
19215	LARSEN WELD-CRETE	APPROVED FOR USE AT SPACE PARK
21121	LATICRETE 220 MARBLE AND GRANITE MORTAR	Approved for mixing outdoors.
16569	LATICRETE 253 GOLD RAPID ADHESIVE	Mix outdoors only.
19920	LATICRETE 9235 WATERPROOF MEMBRANE	Approved for use at Space Park.
23364	LATICRETE HYDRO BAN WATERPROOF MEMBRANE	Approved for use at Space Park
23602	LATICRETE PERMACOLOR SELECT CEMENT GROUT	Approved for use at Space Park
23599	LATICRETE SPECTRALOCK PRO PREMIUM GROUT PART A/B/C 1:1:1 W	Approved for use at Space Park.
18580	LAWSON 27900 FIRE STOP CAULK	APPROVED FOR USE AT SPACE PARK
27059	LEGEND CHEMSPEC ENZALL PROFESSIONAL CARPET CLEANER	Approved for use at Space Park.
27326	LEGEND PROCHEM B103 FOAM SOLVENT CARPET SHAMPOO	Approved for use at Space Park.
23955	LEGEND PROCHEM E827 OLEFIN PRE-CLEAN/WATER 0.05:1 V	Approved for use at Space Park.
16788	LH DOTTIE CO1/CO4 DOTTIE DARK CUTTING OIL	Restricted to 5 gallons indoors.
26840	LILLY-RAM PIGMENTED LOW VOC GELCOAT	Approved for use at Space Park.
16892	LINCOLN ELECTRIC JET-LH 7018-B2L MR COVERED ELECTRODE	Approved for outdoor use and away from ventilation intakes. Any other use will be submitted for review on a case by case basis.

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
16844	LINCOLN ELECTRIC AWS E7024 JETWELD 3 COVERED ELECTRODE	Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
16894	LINCOLN ELECTRIC FLEETWELD 5P PLUS COVERED ELECTRODE	Approved for outdoor use and away from ventilation intakes. Any other use will be submitted for review on a case by case basis.
3560	LINCOLN ELECTRIC INNERSHIELD NR-211-MP ELECTRODE	Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
16841	LINCOLN ELECTRIC INNERSHIELD NR-232 FLUX CORED ELECTRODE	Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
16842	LINCOLN ELECTRIC INNERSHIELD NR-311	Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
16843	LINCOLN ELECTRIC INNERSHIELD NS-3M	Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
16845	LINCOLN ELECTRIC NR-203 NICKEL(1%) & NR-203 NICKEL(1%)-H	Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
16809	LINCOLN ELECTRIC US-CW120 INNERSHIELD NR-202	Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
16811	LINCOLN ELECTRIC US-M220 FLEETWELD 35	Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
16812	LINCOLN ELECTRIC US-M240 FLEETWELD 37	Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
8508	LINCOLN EXCALIBUR E7018 COVERED ELECTRODE	Restricted to outdoor use only. Any other use must be submitted for review on a case by case basis.
21527	LINCOLN EXCALIBUR STAINLESS MANUAL ELECTRODES	Restricted for use in permitted fixed site welding area or with a valid Hotwork permit.
8944	LINDE (PRAXAIR) P-4559 ACETYLENE	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS.
352	LINDE PRAXAIR P-4564 ARGON REFRIGERATED LIQUID	Approved for outdoor use. Restricted to 5 cf indoors due to oxygen displacement in a poorly ventilated area. Any other use must be submitted for review on a case by case basis.
19516	LIPHATECH FIRST STRIKE SOFT BAIT RAT AND MICE RODENTICIDE	If product is used indoors it must be applied during off-hours.
19857	LIPHATECH GENERATION MINI BLOCKS	If product is used indoors it must be applied during off-hours.
18579	LOCTITE 25791 ELECTRICAL CONTACT & PARTS CLEANER	DENIED FOR USE AT SPACE PARK
21433	LONSEAL LONCARE DAMP MOP PH NEUTRAL CONCENTRATE	Approved for use at Space Park.
21435	LONSEAL LONFINISH ULTRA HIGH SPEED FINISH	Approved for use at Space Park.
21434	LONSEAL LONPRIME BASE SEAL COAT	Approved for use at Space Park.
21436	LONSEAL LONSATIN MATTE FLOOR FINISH	Approved for use at Space Park.
21432	LONSEAL LONSEALER TYPE A PVC COLD WELDING	Restricted for use per project and up to 5 ounces indoors with adequate ventilation based on a case-by-case basis. Larger quantities must be reviewed for use.
21431	LONSEAL PREMIUM BOND 755 SHEET VINYL ADHESIVE	Approved for use at Space Park.
24308	LONZA ULTRA PURE HYDRAZINE	Restricted to Building 67 given the hazards of this product.
21174	LPS (PT TECH) 61105 TECHLUBE HD	Approved for use at Space Park.
4230	LPS 40312 TAPMATIC #1 GOLD CUTTING FLUID AEROSOL	Approved for use at Space Park.
17175	LPS LABORATORIES 00216 LPS 2 LUBRICANT PSU (USE CRP 3785)	APPROVED FOR USE AT SPACE PARK
21597	LUCAS MIHAUPT SILVABRITE 100 (CLEAN N BRITE - NO LEAD) ALLOY	Approved for use at Space Park.
21577	LUCAS MILHAUPT 71-017 SIL-FOS 2M BRAZING ALLOY	Approved for use at Space Park.
21576	LUCAS MILHAUPT 71-020 SIL-FOS 2 BRAZING ALLOY	Approved for use at Space Park.
21578	LUCAS MILHAUPT 71-050 SIL-FOS 5 BRAZING ALLOY	Approved for use at Space Park.
21579	LUCAS MILHAUPT 71-060 SIL-FOS 6 BRAZING ALLOY	Approved for use at Space Park.
21580	LUCAS MILHAUPT 71-062 HANDY FLO 6 (SIL-FOS 6M) BRAZING ALLOY	Approved for use at Space Park.
21574	LUCAS MILHAUPT 71-150 SIL-FOS 15 BRAZING ALLOY	Approved for use at Space Park.

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
21575	LUCAS MILHAUPT 71-180 SIL-FOS 18 BRAZING ALLOY	Approved for use at Space Park.
21192	LUCAS MILHAUPT CLEAN N BRITE SILVER-TIN ALLOY	Approved for use at Space Park.
13788	LUCAS MILHAUPT HANDY FLUX AND HANDY FLUX SLS	Approved for outdoor or indoors off hour use only. Any other use must be reviewed on a case by case basis.
4431	LUCAS MILHAUPT HANDY FLUX TYPE B-1 (USE CRP 7407)	Approved for outdoor or indoors off hour use only. Any other use must be reviewed on a case by case basis.
27050	LUCAS OIL 10533 LUCAS WHITE LITHIUM GREASE NLGI 2	Approved for use at Space Park
19940	MAGNAFLUX MAGNETIC RED PARTICLES 8A	Approved for use at Space Park.
27296	MAGNAFLUX SKL-WP2 SPOTCHECK PENETRANT AEROSOL	Restricted due to flammability.
20565	MAINTEX 1122 FAST-ACTION OVEN AND GRILL CLEANER	Approved for use as long as eye wash station in the immediate area of use.
20563	MAINTEX 1127 GROUT BRIGHTENER	Approved for use at Space Park as long as eye wash in the immediate area of product use.
8559	MAINTEX 1130 LIME GO HEAVY DUTY LIME AND RUST REMOVER	Approved for use at Space Park contingent on eye wash station within 10 seconds of use of the product.
16768	MAINTEX 1131 WAX ELIMINATOR FLOOR FINISH STRIPPER	Approved for use at Space Park.
8550	MAINTEX 1132 POLYSTRIP HEAVY DUTY FLOOR FINISH STRIPPER	Restricted to 1:5 dilution. Ensure eye wash station within 10 seconds of use.
8539	MAINTEX 1133 KWIKSTRIP FLOOR FINISH STRIPPER	Restricted 1:5 dilution requirement. Ensure eye wash is within 10 seconds of product use.
21850	MAINTEX 1138 ULTRASTRIP HD FLOOR STRIPPER	Approved for use at Space Park
16767	MAINTEX 1172 CRYSTAL CLEAR HAND SOAP	APPROVED FOR USE AT SPACE PARK
12059	MAINTEX 1201 TRAILWINDS FLOOR CLEANER	Approved for use at Space Park.
8566	MAINTEX 1227 DECATHLON ACRYLIC POLYETHYLENE FLOOR FINISH	Approved for use for Space Park
25291	MAINTEX 1271 FOUNDATION CONCRETE SEALER	Approved for use at Space Park.
16274	MAINTEX 1297 GRIP SPRAY BUFF/RESTORER	Restricted to 1:1 dilution.
8575	MAINTEX 1410 FRESH AND CLEAN RESTROOM CLEANER	Approved for use at Space Park contingent on eye wash within 10 seconds of product use.
12057	MAINTEX 1432 SHIMMER CONCENTRATED/MULTI-PURPOSE CLEANER	Approved for use at Space Park.
8567	MAINTEX 145404 CITRA-CIDE NEUTRAL DISINFECTANT CLEANER	Approve for use at Space Park.
24595	MAINTEX 1462 RETALIATE DISINFECTANT CLEANER	Approved for Space Park use
20562	MAINTEX 1510 DRI-FAS CARPET SHAMPOO	Restricted to dilution of one part carpet shampoo to 10 parts water.
20422	MAINTEX 1518 IMPACT EES EXTRACTION SOLUTION	Approved for use at Space Park.
16766	MAINTEX 1525 ANTI-FOAM	APPROVED FOR USE AT SPACE PARK
11955	MAINTEX 1615 SUPER JET KLEEN CLEANER/DEGREASER	Approved for use at Space Park contingent of eye wash station within 10 seconds of product use.
16275	MAINTEX 1622 EXCALIBUR METAL POLISH	Approved for use at Space Park
12058	MAINTEX 1644 PRISTINE CLEANER/DEGREASER	Approved for use at Space Park.
12060	MAINTEX 1803 GLACIER STREAK FREE GLASS AND SURFACE CLEANER	Approved for use at Space Park.
26598	MAINTEX 2601585 CREME CLEANSER	Approved for use at Space Park
8548	MAINTEX ACT SEALER	APPROVED FOR USE AT SPACE PARK
26529	MAKINO SHELL AVANIA EP GREASE	Approved for use at Space Park
16717	MALLINCKRODT BAKER K075 DIMETHYL PHTHALATE	DENIED FOR USE AT SPACE PARK
21133	MANNINGTON V-82 COMMERCIAL FLOORING ADHESIVE	Approved for use at Space Park.
19705	MANUS PRODUCTS MANUS-BOND 75-AM ELASTOMERIC ADHESIVE	Approved for use at Space Park.
25607	MAPEI KERACOLOR-S SANDED GROUT	Approved for use outdoors
27191	MAPEI KERACOLOR-U UNSANDED GROUT	Approved for use at Space Park.
25283	MAPEI MAPELASTIC AQUADEFENSE WATERPROOFING MEMBRANE	Approved for use at Space Park.
12112	MAPEI ULTRA/BOND ECO 575 COVE BASED ADHESIVE	APPROVED FOR USE AT SPACE PARK
27388	MAPEI ULTRACARE GROUT SEALER	Approved for use at Space Park.
27192	MAPEI ULTRAFLEX 1 POLYMER MODIFIED MORTAR	Approved use at Space Park.
22104	MARCHEM MISTABOND H3168 ALIPHATIC BINDER	Restricted to mixing after hours in the child care parking lot.
22123	MARCHEM MISTABOND H3608 REFINISHING ALIPHATIC BINDER	Restricted to off hour use indoors or outdoors away from ventilation intakes.
21405	MASTER COATINGS METAL BY ZOLATONE	Approved for use at Space Park.
22055	MASTER-HALCO QUICK-ROK CEMENT	Approved if mixed outdoors.
21183	MATHESON MAT04260 CARBON DIOXIDE GAS	Approved for use at Space Park.
13473	MATHESON MAT04600 CHLORINE GAS	Restricted to outdoor use only.
23359	MAXXON COMMERCIAL TOPPING FLOOR UNDERLAYMENT	Restricted to outdoor mixing only.
23387	MAXXON FLOOR PRIMER POWDER CONCENTRATE MIXED WITH WATER	Approved for use at Space Park.
24288	MCLAUGHLIN NYGUARD IGR CONCENTRATE	If product is used indoors it must be applied during off-hours.
19879	MCLAUGHLIN PYROCIDE 100	Restricted for outdoor use or indoors during off hours.
24912	MICROBIAL OVERTILE & OIL SEALER/PRIMER PART A/B/C 1:1:1 W	Denied for use at Space Park
24909	MICROBIAL RESTORATION F.O.G. CONCENTRATE	Approved for use at Space Park.
24910	MICROBIAL RESTORATION SURFACE	Approved for use at Space Park.
19299	MICRONOVA MEGACLEAN MC1-Q MC1-G MC1-5G MC1-55G MC1-C20	Approved for use at Space Park.

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
15844	MICRONOVA NOVA CLEAN LAB AND GLASS CLEANER	Ensure contractor complies with their hazard communication program wear PPE in accordance with MSDS and ensure adequate ventilation so as not to expose NG employees.
15845	MICRONOVA NOVACLEAN DETERGENT CLEANER	Approved for Use at Space Park
21216	MICRONOVA NOVAHOL HARD SURFACE CLEANER DEGREASER	Restricted to one 1 Gallon container in use with remainder to be stored in an approved Hazardous Material Cabinet
13095	MILL-ROSE BLUE MONSTER PTFE PIPE THREAD SEALANT	APPROVED FOR USE AT SPACE PARK
24015	MIRACLE 511 IMPREGNATOR PENETRATING SEALER	Denied for use at Space Park
21123	MIRACLE SEALANTS GROUT SHIELD STAIN RESISTANT GROUT ADDITIVE	Approved for use at Space Park.
22305	MOHAWK DB00081 OPTISEAL FLOORING ADHESIVE	Approved for use at Space Park.
21438	MOHAWK ENPRESS PSA FLOORING ADHESIVE	Approved for use at Space Park.
22304	MOHAWK M950 RESILIENT FLOORING ADHESIVE	Approved for use at Space Park.
22302	MOHAWK SB00064 ENPRESS NXT FLOORING ADHESIVE	Application must be performed when when areas are unoccupied
16904	MOMENTIVE (GE) GE500 SILICONE RUBBER SEALANT	APPROVED FOR USE AT SPACE PARK
20995	MOMENTIVE IS806 SILICONE SEALANT	Approved for use at Space Park.
3828	MOMENTIVE RTV106 SILICONE SEALANT RED	Approved for use at Space Park.
20089	MONOPOLE 2700 DEX COAT CLEAR AND COLORS	APPROVED FOR USE AT SPACE PARK.
20396	MONOPOLE 5800 ULTRA-PRIME DECK PRIMER	Approved for use at Space Park. Contractor shall comply with their Hazard Communication Program wear PPE in accordance with MSDS and ensure adequate ventilation so as not to expose NG employees.
22344	MONSANTO 524-534 CERTAINTY TURF HERBICIDE	Facilities - Landscape Space Park and El Segundo
16792	MOTOR OIL AW HYDRAULIC OIL NZ 32	APPROVED FOR USE AT SPACE PARK
19632	MOTSENBOCKERS LIFT OFF PAINT AND VARNISH REMOVER	Restricted for use as a cured coating stripper only.
19876	MX FACTOR 15606-CA BRAKE PARTS CLEANER PSU	Restricted to 12 ounce can at any time on site. Any other larger quantity must be submitted for review on a case by case basis.
21275	NAMICS XH9890-6A THERMALLY CONDUCTIVE ADHESIVE	Approved for use at Space Park
21193	NARCO CHM00276 TRANE SPRAY LEAK DETECTOR	Approved for use at Space Park.
21197	NARCO CHM00512 TRANE E-SOLV DEGREASER/CLEANER	Denied for use at Space Park
20446	NEVAMAR HIGH PRESSURE DECORATIVE LAMINATE	Approved for use at Space Park.
25689	NEWSTAR EVERSTRONG ES80 CONTACT ADHESIVE SPRAY CANISTER	Approved for use at Space Park
21199	NEXEO 23930 CSM M723A 1.5 OC 38 IN FIBERGLASS MAT	Approved for use at Space Park.
21992	NISUS NIBAN GRANULAR BAIT	Approved for use at Space Park.
27411	NISUS NIS-048 TIM-BOR PROFESSIONAL TERMITICIDE	Approved for use at Space Park
16810	NOBLE COMPANY FIREFIGHTER GL FLUID	APPROVED FOR USE AT SPACE PARK
20854	NPS 4100 SERIES SPILLYTER KOLORSAFE LIQUID ACID NEUTRALIZER	Approved for use at Space Park.
20855	NPS 4300 SERIES SPILLYTER KOLORSAFE LIQUID BASE NEUTRALIZER	Approved for use at Space Park
23135	NU-CALGON 4133 CAL-BRITE COIL CLEANER	Approved for use at Space Park for outdoor use only
19851	NU-CALGON 4171 EVAP FOAM NO RINSE COIL CLEANER AEROSOL	Restricted submit for review on a case by case basis.
17615	NU-CALGON 4182 CAL-BLUE PLUS GAS LEAK DETECTOR	Approved for use at Space Park.
8912	NU-CALGON 4291 NU-BRITE COIL CLEANER	Approved for use at Space Park.
21389	NU-CALGON 4369-75 AEROSOL SPRAY-N-BOND	AUTHORIZING ONE 12 OUNCE AEROSOL CAN ON SITE GIVEN FLAMMABILITY OF SOLVENTS.
24834	NU-CALGON PENETRATE HD LUBRICANT AEROSOL	Approved for use at Space Park with sufficient ventilation.
20138	NUSIL CV-2289-1 SILICONE PART A/B 1:1 W	Approved for use at Space Park.
19220	NUTEAK MAST MA-4920-SW HIGH PERFORM FAST SET ADHESIVE	APPROVED FOR USE AT SPACE PARK.
12153	OATEY 1705E OATEY PLUMBERS PUTTY	Approved for use at Space Park.
18582	OATEY 31132 ALL WEATHER CEMENT	DENIED FOR USE AT SPACE PARK
21054	OATEY H-20-95 WATER SOLUBLE TINNING FLUX (LEAD-FREE)	Approved for use at Space Park. Ensure eyewash and washing facilities within 10 seconds of use.
10033	OCCIDENTAL CHEMICAL OXYCHEM TOWERBROM 90 M TABLET MICROBIOCI	Approved for use at Space Park
12727	OCCIDENTAL OXYCHEM TOWERCHLOR 56 GRANULES	Approved for use at Space Park.
9013	OLD WORLD (SAFE BRANDS) S101LSGP SIERRA ANTIFREEZE COOLANT	APPROVED FOR USE AT SPACE PARK.
21176	OMEGA COLOR TEK EXTERIOR FINISH	Approved for mixing outdoors. Any other use must be reviewed on a case by case basis.
21175	OMEGA INTERIOR 2N1	Approved for use if mixed outdoors and away from ventilation intakes. Any other mixing locations must be reviewed on a case by case basis.
21170	OMEGA POLYLOC (PVA BONDER) BONDCRETE	Approved for use at Space Park.
19211	OMEGA PRODUCTS OMEGA AKROFLEX	APPROVED FOR USE AT SPACE PARK.
19216	OMEGA PRODUCTS OMEGA FOAMTEK20	Restricted to mixing outdoors given chronic toxicity. Any other use must be submitted for review on a case by case basis.
20254	OMEGA PRODUCTS STYROGLUE DRYBOND CEMENT ADHESIVE	Restricted to outdoor mixing. Any other use must be submitted for use on a case by case basis.
24376	OMNI WATERPROOF GREEN GREASE NO 2	Approved for use at Space Park.
25974	OMNIPRO CR403 FIRE POWER HARD SURFACE CLEANER	Approved for Space Park Site use

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
19711	ONE SHOT 102-L LETTERING ENAMEL IN FIRE RED	Restricted to 3 quarts indoors or outdoors. Larger quantity must be submitted for review on a case by case basis.
19712	ONE SHOT 103-L LETTERING ENAMEL IN POLAR WHITE	Restricted to 3 quarts indoors or outdoors. Any other use must be submitted for review on a case by case basis.
19713	ONE SHOT 104-L LETTERING ENAMEL IN BRIGHT RED	Restricted to 3 quarts indoors or outdoors. Any other use must be submitted for review on a case by case basis.
19714	ONE SHOT 115-L LETTERING ENAMEL IN DARK BROWN	Restricted to 3 quarts indoors or outdoors. Larger quantity must be submitted for review on a case by case basis.
19715	ONE SHOT 155-L LETTERING ENAMEL IN REFLEX BLUE	Restricted to 3 quarts indoors or outdoors. Larger quantity must be submitted for review on a case by case basis.
19716	ONE SHOT 158-L LETTERING ENAMEL IN DARK BLUE	Restricted to 3 quarts outdoors and indoors. Larger quantity must be submitted for review on a case by case basis.
19717	ONE SHOT 195-L LETTERING ENAMEL IN MEDIUM GRAY	Restricted to 3 quarts indoors or outdoors. Larger quantity must be submitted for review on a case by case basis.
19718	ONE SHOT 199-L LETTERING ENAMEL IN BLACK	Restricted to 3 quarts indoors or outdoors. Larger quantity must be submitted for review on a case by case basis.
19565	OSI SEALANTS POLYSEAMSEAL 100 PERCENT SILICONE SEALANT	APPROVED FOR USE AT SPACE PARK.
16897	OWENS CORNING 18994-SAM-EN HEAVY DENSITY PIPE INSULATION	APPROVED FOR USE AT SPACE PARK
26848	OWENS CORNING CONT FILAMENT GLASS FIBER: ROVINGS DRY STRANDS	Approved for use at Space Park.
2745	OWENS CORNING HEAVY DENSITY PIPE INSULATION (FIBERGLASS)	Extent of cutting will need to be submitted for review on a case by case basis.
25815	OWENS CORNING OCRA00020 TRULO ASPHALT	Approved for use at Space Park
17562	P.F.I 5-HES-1101 RED OXIDE PRIMER	DENIED FOR USE AT SPACE PARK
17554	PACKAGING SERVICE CROWN METHYL ETHYL KETONE (MEK SOLVENT)	DENIED FOR USE AT SPACE PARK
27225	PALINTEST AQUAPHOENIX AD1582 ORGANOPHOSPHONATE 1 TABLETS	Approved for use at Space Park.
16530	PARA-CHEM SIGNATURE SERIES 4094 PREM.MULTI-PURP ADHESIVE	APPROVED FOR USE AT SPACE PARK
16532	PARA-CHEM PARA-PATCH PLUS	APPROVED FOR USE AT SPACE PARK
26743	PAREXUSA LAHABRA EXTERIOR STUCCO COAT	Restricted to mixing outside and away from ventilation intakes.
9170	PARKER TECKNIT 72-00002 SILVER FILLED SILICONE RTV	Approved for use at Space Park.
22321	PARTERRE FLOORING PARTERRE 449P UNIVERSAL ADHESIVE	Approved for use at Space Park.
16878	PASSIVE FIRE PROTECTION PARTNERS FIRESTOP 4800DW	APPROVED FOR USE AT SPACE PARK
20340	PECORA DYNATRED POLYURETHANE SEALANT BA/AC 1:1 V	Restricted to outdoor use only and away from ventilation intakes. Any other use must be submitted for review on a case basis.
4437	PERGAN (WITCO) HIGH POINT 90 CATALYST	Approved for use at Space Park.
20149	PERMA-LINER INDUSTRIES PERMA-LINER RESIN PART A/B 2:1 V	Approved for use at Space Park. Ensure eyewash and shower in area of use.
16834	PERMATEX FAST ORANGE SMOOTH CREAM HAND CLEANER	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
22988	PETRA POLYMERS PETRA-CRETE U SL FLOOR COAT A/B/C 1:1:1.5 V	Restricted to off working hour use only.
22051	PETRA XTRA-KOTE TC FLOOR COATING PART A/B 2:1 W	DO NOT EXPOSE NGC EMPLOYEES TO ANY VAPORS OR FUMES.
21449	PFI 2-WP-1757 WATER-BASE WHITE PRIMER PAINT	Approved for use at Space Park.
21448	PFI 3-WE-1711 SAFETY YELLOW PAINT (EXTREME HIGH GLOSS)	Approved for use at Space Park.
26731	PINNACLE PREMIUM TRANSITIONAL PRESSURE SENSITIVE ADHESIVE	Approved for use at Space Park
19612	PIONEER SAWDUST SWEEP/SORB SWEEPING COMPOUND	APPROVED FOR USE AT SPACE PARK.
16762	PORTIONPAC CHEMICAL 1802 MOPPAFLITE PH FLOOR CLEANER	APPROVED FOR USE AT SPACE PARK
16663	PORTIONPAC GERMICIDAL DETERGENT 201N 202N 204N 205N 264N	APPROVED FOR USE AT SPACE PARK. IF USE IN CONCENTRATED FORM ENSURE EYEWASH AND SHOWER IN THE AREA OF USE.
16664	PORTIONPAC [®] CHEMICAL SCRUBPAC DEPOTPAC HEAVY DUTY CLEANERS	APPROVED FOR USE AT SPACE PARK. ENSURE EYE WASH IN WORK AREA GIVEN BURNING SENSATION TO THE EYES..
22849	PPG 407720 LN-950 LIQUID NAILS POLYURETHANE ADHESIVE	Approved for use at Space Park
7825	PPG 42-7 SPEEDHIDE INTERIOR LATEX FIRE RETARDANT PAINT	Approved for use at Space Park.
19272	PPG AK2-3/AK2V-B AMERLOCK 2/400 RESIN/2 VOC CURE 1:1 V WHITE	Restricted to outdoor use to one container due to flammability and toxicity. Ensure eye wash shower in work area. Any other use shall be submitted for review on a case by case basis.
18803	PPG AK2VST/G-A-AK2V 2 VOC ST CURE/GUIDE FORMULA 1:1V	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
26445	PPG AMERLOCK 2/AMERSHIELD VOC CUR/RES 1:1 GRAY RAL 7032	Recommend as touch up paint only by brush application
16383	PPG AMV-81/AM-B AMERSHIELD VOC RES/CURE 4:1 V SAFETY YELLOW	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
19731	PPG AMV-T1A/01 AMERSHIELD VOC DEEP TINT RESIN	Restricted to 1 gallon outdoors. Any other use must be submitted for review on a case by case basis.
23959	PPG LC-130 LIQUID NAILS SUPER CAULK WINDOW AND DOOR CLEAR	Use with adequate ventilation.
20172	PRAXAIR HELISTAR A1025 HELIUM/ARGON/CARBON DIOXIDE MIXTURE	Approved for use at Space Park.
20173	PRAXAIR PRS50002 PROSTAR NOZZLE TIP DIP	Approved for use at Space Park.
7879	PROCTER AND GAMBLE COMET CLEANSER WITH POWER OF BLEACH	Approved for use at Space Park. An eye wash station must be within 10 seconds of use.
24377	PROCTER AND GAMBLE ULTRA DAWN ORIGINAL	Approved for use at Space Park.
27230	PROSOCO 46068 CONSOLIDECK LS	Approved for use at Space Park.
27231	PROSOCO 46073 CONSOLIDECK LSGUARD	Approved for use at Space Park.
19137	PROSOCO SURE KLEAN WEATHER SEAL SILOXANE PD	APPROVED FOR USE AT SPACE PARK

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
21007	PTM & W PT4420A/PT4420B RESIN/HARDENER 100:8.5 W	Eye wash shower within 10 seconds of use. Approved for use at Space Park.
21972	PW GILLIBRAND INDUSTRIAL SAND	Approved if used outdoors at Space Park
16839	QC CONSTRUCTION QC SOLVENT SEAL 27	DENIED FOR USE AT SPACE PARK
21057	QUAKER 014113-13 QUINTOLUBRIC 888-46	Approved for use at Space Park.
22134	QUEST RAABE 62125008745604 BEIGE TOUCH UP AEROSOL	Restricted to one 12 ounce can at any time used outdoors or offhours indoors and away from ventilation intakes.
21186	QUIKRETE 1006-80 CRACK RESISTANT CONCRETE MIX	Approved for use if mixed outdoors and away from ventilation intakes. Any other use must be reviewed on a case by case basis.
21187	QUIKRETE 1007 QUIKRETE 5000 CONCRETE MIX	Approved for mixing outdoors. Any other use must be reviewed on a case by case basis.
17332	QUIKRETE 1101 PORTLAND CEMENT CONCRETE MIX	Approved for use at Space Park. Ensure eyewash and washing facilities in the area of use.
22676	QUIKRETE 1585 COMMERCIAL GRADE FASTSET NON-SHRINK GROUT	Space Park Site - Restricted - MIX OUTDOORS AWAY FROM VENTILATION INTAKES
21188	QUIKRETE 1701-58 ASPHALT PATCH	Approved if used outdoors. Any other use must be reviewed on a case by case basis.
27449	QUIKRETE 8610/8611 CONCRETE ACRYLIC FORTIFIER/CONCENTRATE	Approved for use at Space Park.
21189	QUIKRETE 9800 CONCRETE MIX ACCELERATOR	Approved if mixed outdoors. Any other use must be reviewed on a case by case basis.
27193	QUIKRETE PORTLAND CEMENT C9 DECK MUD	Approved for use at Space Park.
16876	RAABE CARIBBEAN BLUE 013 01835 000 AEROSOL RUST PROTECTION	APPROVED FOR USE AT SPACE PARK
19604	RADNOR 64000100 SOLVENT BASED ANTI-SPATTER AEROSOL	Denied for use at Space Park.
19603	RADNOR 64000120 RADNOR NOZZLE GEL	APPROVED FOR USE AT SPACE PARK
10457	RADNOR SG 4043 ALUMINUM TIG WELDING WIRE OR ROD (GTAW)	Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis
16651	RADNOR WELDING 300 SERIES STAINLESS STEEL WELDING WIRE (VAR)	Approved for outdoor use if away from ventilation intakes. Restricted from welding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
25941	RAINGUARD RAINGUARDPRO COOL COAT THERMAL COATING	Approved for use at Space Park.
18598	RAYCHEM RAY2010 HOT MELT ADHESIVES/MASTICS	APPROVED FOR USE AT SPACE PARK
18599	RAYCHEM RAY4566 HEAT-SHRINKABLE POLYMERIC PRODUCTS	APPROVED FOR USE AT SPACE PARK
18810	RC DAVIS CO. TRUE BOND KOTE	APPROVED FOR USE AT SPACE PARK
21740	RCA RUBBER #5 SOLVENT FREE EPOXY ADHESIVE PART A/B 1:1 V	Approved for use at Space Park
22457	REAGENTS (EMSL) 8708919 ACETONE	Approved for use at Space Park
22458	REAGENTS (EMSL) 8708920 TRIACETIN	Approved for use at Space Park.
4522	RECKITT BRASSO MULTIPURPOSE METAL POLISH	Approved for use at Space Park.
4165	RECKITT LYSOL DISINFECTANT SPRAY ALL SCENTS AEROSOL	Approved for use at Space Park.
19653	RECTORSEAL 17432 RECTORSEAL NO. 7 PIPE THREAD SEALANT	Denied for use at Space Park.
19660	RECTORSEAL 22631 NO. 100 VIRGIN PIPE THREAD SEALANT	Approved for use at Space Park.
19658	RECTORSEAL 31300 TRU-BLU PIPE THREAD SEALANT	Approved for use at Space Park.
19661	RECTORSEAL 72851 COPPER RICH HI TEMP ANTI-SEIZE LUBRICANT	Approved for use at Space Park.
18610	RECTORSEAL 73851 NICKEL-RICH LUBRICANT	APPROVED FOR USE AT SPACE PARK
16633	RECTORSEAL 74044 NOKORODE AQUA FLUX	APPROVED FOR USE AT SPACE PARK
19655	RECTORSEAL 86625 COLD GALVANIZING SPRAY PSU	Denied for use at Space Park.
13211	RECTORSEAL 93111 PREMIUM THREAD CUTTING OILS LIGHT OR DARK	Approved for use at Space Park.
19657	RECTORSEAL 97132 PLUMBERS PUTTY	Approved for use at Space Park.
19656	RECTORSEAL BETTER BUBBLE LEAK LOCATOR	Approved for use at Space Park.
16634	RECTORSEAL NOKORODE REGULAR PASTE FLUX	Do not expose NGC personnel to fumes dust or vapors
1261	RECTORSEAL NOKORODE REGULAR SOLDERING PASTE FLUX	Approved for outdoor use or indoor use with adequate fume capturing equipment. Ensure eye wash station is onsite.
21160	RELTON 08Z-NRTP NEW RAPID TAP PASTE	Approved for use at Space Park.
3308	RELTON NEW RAPID TAP CUTTING FLUID	APPROVED FOR USE AT SPACE PARK
16699	REPUBLIC CONDUIT HOT DIP (ZINC) GALVANIZED STEEL CONDUIT	APPROVED FOR USE AT SPACE PARK
21211	RHH VERSI-FOAM SYSTEM 15 CLASS I SLOW RISE A/B 1:1 V	Approved for use at Space Park for outdoor mixing and indoor off hour use. Any other use must be reviewed on a case by case basis.
21167	RIDGE TOOL 22088 RIDGID EXTREME PERF THREADING OIL PSU	Denied for use at Space Park.
17628	RIDGE TOOL RIDGID NU-CLEAR THREAD CUTTING OIL (MULT PART#)	Approved for use at Space Park.
1953	RIVERSIDE CEMENT PORTLAND CEMENT	Approved for use when mixed outdoors at Space Park
27413	RM LUCAS 8800 UNIVERSAL SINGLE-PLY ADHESIVE	Approved for use at Space Park.
18324	ROBINAIR VACUUM PUMP OIL	Approved for use at Space Park.
19976	ROCKWELL LABS INVADE BIO FOAM HOT SPOT	Approved for use at Space Park.
23298	ROPPE EXCELSIOR ASD-800 ACRYLIC WET SET ESD ADHESIVE	Approved for use at Space Park.
25011	ROPPE EXCELSIOR USD-810 URETHANE WET SET ESD ADHESIVE 1:1 V	Approved for use at Space Park and Palmdale

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
23621	ROYAL COATINGS COMPU RELEASE ADHESIVE	Approved for use at Space Park
19481	RPM MOHAWK M645-2206 WATERBORNE STAIN DARK GOLDEN OAK	Approved for Use at Space Park
20296	RUG DOCTOR ANTI-ALLERGEN CARPET CLEANER	Approved for use at Space Park.
16785	RUST-OLEUM 1280504 STOPS RUST ENAMEL BRUSH PRIMERS	DENIED FOR USE AT SPACE PARK
21256	RUST-OLEUM 1945502 PAINTERS TOUCH GLOSS SUN YELLOW AEROSOL	Approved for use at Space Park.
16395	RUST-OLEUM 2000 ZINSSER BULLSEYE 1-2-3 WB PRIMER WHITE	APPROVED FOR USE AT SPACE PARK
16501	RUST-OLEUM 200031 VARATHANE GLOSS CRYSTAL CLEAR	APPROVED FOR USE AT SPACE PARK
19625	RUST-OLEUM 207464 PRO LSPR AEROSOL FLUORESCENT GREEN MARKING	Restricted to 1 can used outdoors and away from ventilation intakes.
16770	RUST-OLEUM 208028 SIE S30 GRIPTec PRIMER HI HIDE WHITE	APPROVED FOR USE AT SPACE PARK
13220	RUST-OLEUM 238752 SIERRA S37 METALMAX DTM WHITE	APPROVED FOR USE AT SPACE PARK PALMDALE AND EL SEGUNDO - JNR
18800	RUST-OLEUM 248284 SIE 1-GL EPOXY WB ACTIVATOR	APPROVED FOR USE AT SPACE PARK
21600	RUST-OLEUM 249060 PAINTERS TOUCH 2X SEMI-GLOSS WHITE PSU	DENIED FOR USE AT SPACE PARK
21602	RUST-OLEUM 249843 PAINTERS TOUCH 2X SATIN BLOSSOM WHITE PSU	DENIED FOR USE AT SPACE PARK
21603	RUST-OLEUM 249844 PAINTERS TOUCH 2X SATIN CANYON BLACK PSU	DENIED FOR USE AT SPACE PARK
19622	RUST-OLEUM 2524838 INVERTED MARKING SPRAY CAUTION BLUE PSU	Restricted to 1 can used outdoors and away from ventilation intakes.
19628	RUST-OLEUM 2544838 INVERTED MARKING SPRAY HI VIS YELLOW PSU	Restricted to 1 can used outdoors and away from ventilation intakes.
19623	RUST-OLEUM 2545838 INVERTED MARKING SPRAY CAUTION YELLOW PSU	Restricted to 1 can used outdoors and away from ventilation intakes.
19626	RUST-OLEUM 255641 INVERTED MARKING SPRAY IN FLUOR PINK PSU	Restricted to 1 can used outdoors and away from ventilation intakes.
21148	RUST-OLEUM 2558838 INVERTED MARKING PAINT FLOU ORANGE PSU	Denied for use at Space Park.
19627	RUST-OLEUM 2558838 INVERTED MARKING SPRAY IN RED-ORANGE PSU	Restricted to 1 can used outdoors and away from ventilation intakes.
19630	RUST-OLEUM 2564838 INVERTED MARKING SPRAY IN SAFETY RED PSU	Restricted to 1 can outdoors and away from ventilation intakes.
20199	RUST-OLEUM 2578838 PRO LSPR STRIPING PAINT BLACK AEROSOL	Restricted to 2-15 ounce containers and for outdoor use only. Any other use must be submitted for review on a case by case basis.
19629	RUST-OLEUM 2592838 INVERTED MARKING SPRAY IN WHITE PSU	Restricted to 1 can outdoors and away from ventilation intakes.
19624	RUST-OLEUM 2596838 INVERTED MARKING SPRAY IN CLEAR PSU	Restricted to 1 can used outdoors and away from ventilation intakes.
26450	RUST-OLEUM 365001/365005 SEAL-KRETE CLEAR SEAL	Approved for use at Space Park.
21689	RUST-OLEUM 7578838 PRO ENAMEL FLAT BLACK AEROSOL	Restricted to one 15 ounce container used outdoors at any time.
21222	RUST-OLEUM 7584838 PRO FLAT BRIGHT GALVANIZING COMPOUND PSU	Approved 1 20 ounce can outdoors and downwind of ventilation intakes. Any other use must be reviewed and approved on a case by case basis.
21226	RUST-OLEUM 7585838 PRO FLAT COLD GALVANIZING COMP AEROSOL	RESTRICTED to one can; for outdoor use only. Refer to Action Summary H&S section for more info.
24901	RUST-OLEUM 7776830 FLAT BLACK AEROSOL TOPCOAT	Restricted to off-hour use only.
21150	RUST-OLEUM J2850822 QUICK COLOR SPRAY PAINT GLOSS WHITE PSU	Denied for use at Space Park.
21152	RUST-OLEUM J2851830 QUICK COLOR SPRAY PAINT GLOSS BLACK PSU	Denied for use at Space Park.
24181	RUST-OLEUM ME326 KRUD KUTTER METAL CLEAN AND ETCH	Approved for Space Park.
16487	RUST-OLEUM S40 1-GL EPOXY CLASSIC GRAY BASE/ACT 1:1 V	APPROVED FOR USE AT SPACE PARK
24892	RUST-OLEUM V2117838 GLOSS BRIGHT GALVINIZNG COMPOUND AEROSOL	Space Park - approved for outdoor use only.
16847	RUST-OLEUM V2392838 HI PERF INVERTED MARKING AEROSOL WHITE	DENIED FOR USE AT SPACE PARK
25861	S3 SHAW 4151 UNIVERSAL PRESSURE SENSITIVE ADHESIVE	Approved for use at Space Park.
25802	SAKRETE 65200016/65200007 MAXIMIZER CONCRETE MIX	Approved for use at Space Park
19634	SANCHEM NO-OX-ID PWL-600 RUST PREVENTATIVE COATING	Approved for use at Space Park.
19354	SCIENLAB SLA3502 ACETONE	Approved for use but limited to 1 gal indoors/outdoors due to extreme flammability.
19296	SCIENLAB SLB2533 BORIC ACID	APPROVED FOR USE AT SPACE PARK.
19961	SCIENLAB SLI1153 ISOPROPYL ALCOHOL DILUTED W/DI WATER 3%	Restricted to 3 gallons outdoors. Any other use must be submitted for review on a case by case basis.
20857	SCIENLAB SLM2626 METHYL ETHYL KETONE	Restricted to 500 ml on site. Any larger quantity must be reviewed on a case by case basis.
19594	SCIENLAB SLS2341 SODIUM THIOSULFATE PENTAHYDRATE	Approved for use at Space Park.
19295	SCIENLAB SLS3025 SODIUM METABISULFITE	APPROVED FOR USE AT SPACE PARK.
16666	SCOUT SYSTEMS REACH DEEP CARPET CLEANING SOLUTION	APPROVED FOR USE AT SPACE PARK
16765	SCOUT SYSTEMS TROUBLESHOOTER	APPROVED FOR USE AT SPACE PARK
19633	SCULPT NOUVEAU SMART COAT 2K LACQUER	Approved for use at Space Park.
17557	SEAFAB METALS SOFT LEAD ALLOYS	APPROVED FOR USE AT SPACE PARK
11746	SEAL BOND (MICHIGAN ADHESIVE) SEAL BOND 95 ADHESIVE	Approved for use at Space Park
16574	SENTINEL 626 CARPET ADHESIVE REMOVER	APPROVED FOR USE AT SPACE PARK
16434	SENTINEL 747 FRESH SCENT MASTIC REMOVER	APPROVED FOR USE AT SPACE PARK
19058	SENTINEL 805 ENVIROWASH	Approved for Space Park Use

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
5271	SENTINEL CHEMICAL 747 MASTIC REMOVER	Approved for use at Space Park.
4348	SERVICEMASTER (ECCOLAB) WALLGLIDE PLUS AP CLEANER	Approved for use at Space Park.
8617	SERVICEMASTER FIBERFRESH ULTRACLEAN EXTRACTION CLEANER	Approved for use at Space Park
4349	SERVICEMASTER FLOORSTAR DUOCLENE	Approved for use at Space Park.
21853	SERVICEMASTER FLOORSTAR PREMIUM 25 FINISH	Approved for use at Space Park.
21848	SERVICEMASTER GREEN FOR DEGREASING	Approved for use at Space Park.
21847	SERVICEMASTER GREEN FOR FLOORS	Approved for use at Space Park.
21851	SERVICEMASTER GREEN FOR GPC (GENERAL PURPOSE CLEANER)	Approved for use at Space Park.
21852	SERVICEMASTER GREEN FOR OXIDIZING CLEANER	Approved for use at Space Park.
21849	SERVICEMASTER GREEN FOR RESTROOMS	Approved for use at Space Park.
16330	SHAW 5000 PRESSURE SENSITIVE ADHESIVE	APPROVED FOR USE AT SPACE PARK
26733	SHAW 5100 CARPET TILE ADHESIVE	Approved for use at Space Park
18907	SHELL 001A0335 SHELL MORLINA OIL 150	APPROVED FOR USE AT SPACE PARK
302	SHELL S1111 ISOPROPYL ALCOHOL IPA (USE CRP 25098)	Approved for use at Space Park
20236	SHERWIN A24W100 LOXON MASONRY COATING SYSTEMS CONDITIONER	Approved for use at Space Park.
19694	SHERWIN A24W451 LOXON XP WATERPROOF COATING WHITE	Approved for use at Space Park.
19693	SHERWIN A24W8300 LOXON CONCRETE AND MASONRY PRIMER WHITE	Approved for use at Space Park.
20238	SHERWIN A5W151 SHERLASTIC COATING XTRA WHITE TINTING BASE	Approved for use at Space Park.
22385	SHERWIN A5W451 CONFLEX XL HIGH BUILD COAT SMOOTH EXTRA WHITE	Approved for use at Space Park.
24815	SHERWIN A5W651 SHERLASTIC ELASTOMERIC MASONRY COATING WHITE	Approved for use at Space Park
21261	SHERWIN A76T54 SOLO I/E ACRYLIC S-G ULTRA DEEP BASE	Approved for use at Space Park.
16772	SHERWIN B11W500 (B11W900) HARMONY INT PRIMER WHITE	APPROVED FOR USE AT SPACE PARK
23954	SHERWIN B20T2654 PROMAR 200 ZERO VOC LATEX EG DEEP BASE	Approved for use at Space Park
20228	SHERWIN B20W2651 PROMAR 200 ZERO VOC LATEX EG EXTRA WHITE	Approved for use at Space Park.
17610	SHERWIN B20W651 PROGREEN 200 NO VOC INT LTX EG-SHL X-WHITE	APPROVED FOR USE AT SPACE PARK
17114	SHERWIN B20W651/SW6387 PROGREEN LO VOC INT EG-SH COMP CREAM	Approved for use at Space Park.
17101	SHERWIN B20W651/SW6429 PROGREEN LO VOC INT EG-SH BAIZE GREEN	Approved for use at Space Park.
17130	SHERWIN B20W651/SW7571 PROGREEN LO VOC INT EG-SH CASA BLANCA	Approved for use at Space Park.
21474	SHERWIN B21W2251 PROMAR 200 LATEX ENAMEL GLOSS EXTRA WHITE	Approved for use at Space Park
20448	SHERWIN B28W2600 PROMAR 200 ZERO VOC INT LATEX PRIMER WHITE	Approved for use at Space Park
21473	SHERWIN B28W8111 PREMIUM WALL AND WOOD PRIMER LATEX WHITE	Approved for use at Space Park.
25806	SHERWIN B30W12651 PROMAR 200 ZERO VOC INT LATEX FLAT WHITE	approved for use at Space Park.
16846	SHERWIN B30W404 PROMAR 400 INT LATEX FLAT ANTIQUE WHITE	APPROVED FOR USE AT SPACE PARK
19650	SHERWIN B31TJ8654 SOLO S-G I/E LOW VOC ACRYLIC ENAMEL UDB	APPROVED FOR USE AT SPACE PARK.
19483	SHERWIN B31W2651 PROMAR 200 ZERO VOC LATEX SG EXTRA WHITE	Approved for Use at Space Park
19577	SHERWIN B31W851 PROCLASSIC INT SG ENAMEL XTRA WHITE	APPROVED FOR USE AT SPACE PARK.
17606	SHERWIN B33W251 PROMAR 200 INT ALKYD ENAMEL EG EXTRA WHITE	DENIED FOR USE AT SPACE PARK
17605	SHERWIN B34W251 PROMAR 200 INT ALKYD SEMI-GLOSS EXTRA WHITE	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
19482	SHERWIN B34W851 PROCLASSIC INT WB ACRYLIC-ALKYD SEMI-GLOSS	APPROVED FOR SPACE PARK USE
23878	SHERWIN B42B81 PRO INDUSTRIAL WB ACRYLIC DRYFALL FLAT BLACK	Approved for use at Space Park.
17609	SHERWIN B42T104 METALEX S/G ACRYLIC ULTRADEEP BASE	DENIED FOR USE AT SPACE PARK
16433	SHERWIN B42W111 METALATEX S-G ACRYLIC COATING EXTRA WHITE	APPROVED FOR USE AT SPACE PARK.
20450	SHERWIN B42W200/B42V201 CEMENT-PLEX 875 FILLER A/B 1:1 V	Approved for use at Space Park.
19488	SHERWIN B42W400 KEM CATI-COAT HS EPOXY FILLER/SEALER (PT A)	DENIED FOR USE AT SPACE PARK.
18649	SHERWIN B51W20 PREPRITE PROBLOCK SEALER (DISCONTINUED)	APPROVED FOR USE AT SPACE PARK
26289	SHERWIN B51W620 PREPRITE PROBLOCK PRIMER/SEALER WHITE	Approved for use at Space Park.
19487	SHERWIN B51W8020 MULTI-PURPOSE LATEX PRIMER INT/EXT LATEX	Restricted to outdoor use or indoors without NGAS exposure given reproductive effect
26708	SHERWIN B53T2254 PRO INDUSTRIAL WB URETHANE L-S BASE	Approved for use at Space Park.
24123	SHERWIN B58T624/B58V620 MACROPOXY 646-100 FAST CURE 1:1 V	Restricted for outdoor use only.
19486	SHERWIN B58W620 MACROPOXY 646-100 FAST CURE EPOXY PART A WHT	Any use must be reviewed on a case by case basis
16829	SHERWIN B58W620/B58V620 MACROPOXY 646-100 FAST CURE 1:1 V	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
24103	SHERWIN B58WW491/R7K15 MACROPOXY 646/REDUCER 1:1 V	Denied for use at Space Park
20449	SHERWIN B65T724/B65V720 ACROLON 100 HS WB CLEAR A/B 4:1 V	Restricted to outdoor use with ventilation intakes covered. Any other use must be approved on a case by case basis.
20447	SHERWIN B65W721/B65V720 ACROLON 100 HS WB TINT BASE 4:1 V	Approved for use at Space Park
25965	SHERWIN B66A1320 PRO-CRYL UNIVERSAL PRIMER MEDIUM GRAY	Approved for use at Space Park
18685	SHERWIN B66A310 PRO-CRYL UNIVERSAL ACRYLIC PRIMER GRAY	Approved for use at Space Park Site
19075	SHERWIN B66N310 PRO-INDUSTRIAL PRO-CRYL PRIMER RED OXIDE	Approved for Space Park use; Approved for Palmdale use
20417	SHERWIN B66T654 PRO IND 0 VOC ACRYLIC COAT S/G UDB	Approved for use at Space Park
18647	SHERWIN B66W310 PRO INDUSTRIAL PRO-CRYL PRIMER OFF-WHITE	APPROVED FOR USE AT SPACE PARK
18686	SHERWIN B66W651 PRO INDUSTRIAL ACRYLIC SEMI-GLOSS XTRA WHITE	APPROVED FOR USE AT SPACE PARK
19241	SHERWIN B66W653 PRO INDUSTRIAL ACRYLIC SEMI-GLOSS DEEP BASE	Approved for use at Space Park.
24438	SHERWIN B71S200 BOND-PLEX WATER BASED COATING ALUMINUM	Approved for use at Space Park.
19485	SHERWIN B73W311 PRO INDUSTRIAL O VOC WB EPOXY PART A	APPROVED FOR USE AT SPACE PARK
18650	SHERWIN B73W311/B73V300 PRO INDUSTRIAL WB EPOXY 4:1 V EX WHT	APPROVED FOR USE AT SPACE PARK
24861	SHERWIN B80W501/B80V500 SHER-LOXANE 800 A/B 4:1 V EXT WHITE	Approved for Space Park use

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
26422	SHERWIN B80W551/B80V500 SHER-LOXANE 800 A/B 4:1 V SG EXT WHT	Restricted to outdoor use only.
21063	SHERWIN B90T104 ARMORSEAL TREAD-PLEX FLOOR COATING	Approved for use at Space Park
19675	SHERWIN B97BD2021 PRO PARK MARKING PAINT BLACK	Approved for use at Space Park
19676	SHERWIN B97LD2022 PRO PARK MARKING PAINT BLUE	Approved for use at Space Park
19637	SHERWIN B97WD2434 PRO PARK MARKING PAINT WHITE	Restricted to 1 can outdoors and away from ventilation intakes.
19636	SHERWIN B97YD2467 PRO PARK MARKING PAINT YELLOW	Restricted to 1 can outdoors and away from ventilation intakes.
16771	SHERWIN B9W551(B9W951) HARMONY INT EGG-SHELL FINISH	APPROVED FOR USE AT SPACE PARK
21546	SHERWIN DV6/DV12/DV16 MASTER BLEND EZ TOUCH DV CAN BLACK	Approved for one time use. Any other use will require a new review.
21999	SHERWIN GENERAL POLYMERS 3460 AQUARMOR RES/HARD 1:4 V GRAY	Approved for use at Space Park
21998	SHERWIN GENERAL POLYMERS 4090 FASTOP 12 TC/M PART A/B 1:1 V	Approved for off hour application only with adequate ventilation.
16465	SHERWIN HI-SOLIDS POLYURETHANE 100 PART A/B 1:1 V	Any use must be reviewed on a case by case basis
12783	SHERWIN KRYLON 03500 QUIK-MARK WB INV MARKING PAINT	RESTRICTED TO ONE CONTAINER INDOORS AT ANY TIME
26709	SHERWIN LX02W50 LOXON CONCRETE AND MASONRY PRIMER/SEALER	Approved for use at Space Park
25912	SHERWIN LX11W51 LOXON XP MASONRY COATING EXTRA WHITE	Approved for use at Space Park
19631	SHERWIN RECOATABLE EPOXY PRIMER PART G/H 1:1 V	Restricted to 25 gallons outdoors and away from ventilation intakes. Any other use must be reviewed on a case by case basis.
19937	SHERWIN S00740 SPRAYON ZINC-RICH COLD GALVANIZING CMPD PSU	Restricted to 1 16 ounce can. Any other use must be reviewed on a case by case basis.
16500	SHERWIN S64R506 SHER-WOOD WIPING STAIN CHERRY	DENIED FOR USE AT SPACE PARK
22183	SHERWIN TM2152 HOTLINE FAST DRY WB TRAFFIC PAINT WHITE	Approved for outdoor use.
13152	SHERWIN TM2153 HOTLINE FAST DRY WB TRAFFIC PAINT YELLOW	Approved for outdoor use.
22416	SHERWIN TM2221 SHER-FLIGHT WB PAVEMENT PAINT PREMIUM BLACK	Approved for outdoor use only and away from ventilation intakes.
22186	SHERWIN TM2222 SHER-FLIGHT WB PAVEMENT PAINT PREMIUM RED	Approved for use at Space Park
22185	SHERWIN TM2224 SHER-FLIGHT WB PAVEMENT PAINT PREMIUM BLUE	Approved for use at Space Park
22184	SHERWIN TM2226 SHER-FLIGHT WB PAVEMENT PAINT PREMIUM GREEN	Approved for use at Space Park
22417	SHERWIN TM2248 SHER-FLIGHT WB PAVEMENT PAINT PREMIUM WHITE	Approved for exterior use only and away from ventilation intakes.
22551	SHERWIN TM2259 SHER-FLIGHT WB PAVEMENT PAINT PREMIUM YELLOW	Use only outdoors for parking lot striping projects.
24014	SHERWIN WILLIAMS B71Y1 DTM WASH PRIMER YELLOW/GREEN	Approved for use at Space Park.
18583	SHERWIN-WILLIAMS 142-0041 SHERMARK UPSIDE DOWN MARKING PAINT	DENIED FOR USE AT SPACE PARK
16688	SHERWIN-WILLIAMS 7321 KRYLON CONTR. MARKING PAINT RED/ORANGE	Approved for outdoor use if away from ventilation intakes. Restricted to 16 ounces indoors due to extreme flammability and chronic toxicity. Any other use must be submitted for review on a case by case basis.
16413	SHERWIN-WILLIAMS A6W151 A-100 ACRYLIC LATEX FLAT EXTRA WHITE	APPROVED FOR USE AT SPACE PARK
16778	SHERWIN-WILLIAMS B10W951 HARMONY INT.SEMI-GLOSS FINISH	APPROVED FOR USE AT SPACE PARK
18648	SHERWIN-WILLIAMS B31W651 PROGREN 200 LOW VOC S-G X-WHITE	APPROVED FOR USE AT SPACE PARK
21260	SHERWIN-WILLIAMS B40WJ9850 SONORAN I/E ACRYLIC S-G WHITE	APPROVED FOR USE AT SPACE PARK
6165	SHERWIN-WILLIAMS B66A50 DTM BONDING PRIMER OFF-WHITE	Approved for use at Space Park.
26874	SIGMA-ALDRICH W291706 POLYSORBATE 80	Approved for use at Space Park.
12823	SIKA 0132540 SIKALATEX R	Restricted to outdoor use only away from ventilation intakes. Any other use must be submitted for review on a case by case basis.
16895	SIKA 0227542 SIKAFLEX 227 (ALL COLORS)	Limit quantity to 110 ounce container for outdoor use only and away from ventilation intakes. Any other use will be submitted for review on a case by case basis.
21695	SIKA 0429540 SIKAFLEX 429 PRIMER	Restricted to outdoor use only. Any other use must be reviewed on a case by case basis.
18015	SIKA 0432540 SIKAFLEX 1C SL SELF LEVELNG SEALANT	Approved for outdoor use only. Any other use must be reviewed and approved on a case by case basis.
18897	SIKA 0557501 SIKACRETE 211	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
18898	SIKA 552 SIKAREPAIR 222	Restricted to outdoor and off hour use and away from ventilation intakes. Any other use must be submitted for review on a case by case basis.
19247	SIKA 553 SIKAREPAIR 223	Restricted to outdoor and off hour use and away from ventilation intakes. Any other use must be submitted for review on a case by case basis.
20262	SIKA ARMATEC 110 EPOCEM COATING PART A/B/C 1:1:1 W	Outdoor use only. Any other use must be submitted for use on a case by case basis.
18911	SIKA GROUT 212 GENERAL PURPOSE CEMENTITIOUS GROUT	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
23396	SIKA LEVEL 02 EZ PRIMER	Approved for use at Space Park.
22732	SIKA LEVEL 125 CEMENTITIOUS SELF-LEVELING UNDERLAYMENT	Approved for use at Space Park
23278	SIKA LEVEL 425 SELF-LEVELING UNDERLAYMENT	Mix outdoors only.
24545	SIKA LEVEL SKIMCOAT FAST SETTING CEMENT BASED COMPOUND	Mix outdoors away from ventilation intakes.
23277	SIKA MB EPOXY MOISTURE BARRIER PART A/B 1:1 V	Approved for use at Space Park
11609	SIKA SARNACOL 2121 MEMBRANE ADHESIVE	Approved for use outside and at least 25 feet down wind from ventilation intakes
25862	SIKA SARNACOL 2163 BOARD ADHESIVE PART 1/2 1:1 V	Restricted to for outdoor use only

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
25816	SIKA SARNACOL AD BOARD ADHESIVE PART A/B 1:1 W	SPACE PARK - RESTRICTED TO OUTDOOR USE ONLY AND AWAY FROM VENTILATION INTAKES
20259	SIKA SIKADUR 31 HI MOD GEL ADHESIVE A/B 1:1 V	Restricted to outdoor use only. Any other use must be approved on a case by case basis.
20260	SIKA SIKADUR 32 HI MOD LPL ADHESIVE A/B 1:1 V	Restricted to outdoor use only. Any other use must be submitted for review.
10276	SIKA SIKAFLEX 1A (ALL COLORS) POLYURETHANE SEALANT	Space Park Site - Restricted to outdoor use.
4899	SIKA SIKAFLEX 221 POLYURETHANE ADHESIVE	Restricted to outdoor use only and away from ventilation intakes and roof openings. Any other use must be reviewed on a case by case basis.
17553	SIKA SIKAFLEX 2C NS EZ MIX SEALANT PART A/B 1:1 V	Restricted to outdoor use.
19350	SIKA SIKAFLEX 2C NS SEALANT PART A/B 1:1 V	Restricted to 3 gallons indoors given flammability.
16707	SIKA SIKAGROUT 328	Approved when mixed outdoors.
25863	SIKA SIKALASTIC EP PRIMER RAPID PART A/B 1.7:1 V	Given solvent properties use outdoors only.
25864	SIKA SIKALASTIC-641 LO-VOC POLYURETHANE RESIN	Restricted to outdoor use only.
25887	SIKA SIKALASTIC-646 LO-VOC POLYURETHANE RESIN	Approved for use at Space Park.
24129	SIKA SIKASIL GP HI TEMP RED SEALANT	Approved for use at Space Park.
24814	SIKA SIKATOP 123 PLUS NON-SAG MORTAR PART A/B 1:1 V	Approved for outdoor use only.
24384	SIMIX SMX 2200-5 MULTI-SURFACE KITCHEN DEGREASER	Approved for Space Park/Palmdale - ensure eye wash and shower in area of use
21694	SIMPSON ETI-LV INJECTION EPOXY RESIN/HARDENER 1:1 V	Restricted use during off hours and enhanced ventilation in the work area
22994	SIMPSON RPSINJECT 101 INJECTION RESIN/WATER 1:1 V	Restricted for use off hours only
16551	SIMPSON SET-XP ADHESIVE RESIN AND HARDENER 1:1 V	PD - HBA Inc.
19495	SINAK WCE SINAK THE CURE	Approved for Use at Space Park
11460	SOLVAY CYTEC LTM 217 EPOXY RESIN PREPREG	APPROVED FOR USE AT SPACE PARK
22851	SODAL BOSS 310 RTV INDUSTRIAL SILICONE SEALANT	Approved for use at Space Park
16642	SOUTH COAST K159199 KEY TITE JOINT COMPOUND	APPROVED FOR USE AT SPACE PARK
19496	SPARTAN 4055 ISHINE	R--A Use indoors during off hours given CNS depressant.
19668	SPEARS PRIMER-68 LOW VOC PRIMER	Restricted to one container outdoors or indoors with adequate ventilation and ensure eye wash in the area of use. Any other use must be reviewed on a case by case basis.
19665	SPEARS SB75 BLUE 75 THREAD SEALANT	Limited to one container on site at any time. Any other use must be reviewed on a case by case basis.
20980	SPEC MIX TYPES M/S/N SPEC MIX MORTAR CEMENT AND SAND MORTAR	Restricted to mixing outdoors and away from ventilation intakes.
24348	SPECHEM SC MULTIPURPOSE GROUT	Restricted to mixing outdoors; PD- HBA Inc.
3868	SPECTRUM A1020 ACETONE REAGENT ACS	Space Park Site - Restricted to one gallon at any time
19177	SPEEDLINE CORP 73-20 RTV ADHESIVE/SEALANT	APPROVED FOR USE AT SPACE PARK
22763	SPRAY-LOCK 6500 SPRAY ADHESIVE AEROSOL	Use during off hours or in areas where NG are not present.
10649	STABOND C 148B (X 2649B) FAST DRYING HIGH STRENGTH ADHESIVE	Approved for outdoor use. Restricted to 16 ounces indoors due to extreme flammability. Any other use must be submitted for review on a case by case basis.
8413	STABOND U-148A CONTACT ADHESIVE	Approved for use at Space Park
23557	STANLEY DEWALT CHALK	Use with adequate ventilation
24826	STATE INDUSTRIAL DEFENDER II METAL PRIMER	Approved for Space Park use
26502	STATICWORX STATBOND PRESSURE SENSITIVE ADHESIVE	Approved for use at Space Park.
26732	STEADFAST CROSS LINK VCT ADHESIVE	Approved for use at Space Park.
17581	STERIS 6461 VESPHENE II SE DISINFECTANT (DISCONTINUED)	APPROVED FOR USE AT SPACE PARK
17582	STERIS CORP 6466 LPH SE DISINFECTANT	APPROVED FOR USE AT SPACE PARK
16410	STONHARD 01333/A AND B STANDARD PRIMER AMINE/RESIN 1:1 V	APPROVED FOR USE AT SPACE PARK
18895	STONHARD 01822/C2 STONKOTE AT5 ANTISTAT	ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
18746	STONHARD 01827A0/BO ATK PRIMER AMINE/PART B 1:1V	APPROVED FOR USE AT SPACE PARK
19265	STONHARD 07313 HT PRIMER RESIN/AMINE 500 SERIES 1:1 V	APPROVED FOR USE AT SPACE PARK. CONTRACTOR TO ENSURE EYE WASH AND SHOWER IN WORK AREA.
19264	STONHARD 07453/829 STONCLAD HT AMINE/RESIN/AGG.BRICK RED	ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS. CONTRACTOR TO PROVIDE EYE WASH AND SHOWER IN WORK AREA.
18753	STONHARD 101/102C STONFIL OP2 LATEX/C/C-1	Approved for Rancho Bernardo - same restrictions apply as those listed for Space Park. ENSURE ADEQUATE VENTILATION SO AS NOT TO OVEREXPOSE NG EMPLOYEES. If adequate ventilation can not be achieved then the product must be used off hours
18747	STONHARD 120B STONLUX AT PLATINUM RESIN PART B	APPROVED FOR USE AT SPACE PARK
18757	STONHARD 137A STONLUX AT CURING AGENT PART A	RESTRICTED TO OFF-HOUR USE. ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
18671	STONHARD 1736/828C STONCLAD GS AMINE/RESIN/AGG STEEL GRAY	RESTRICTED FOR OFF HOUR USE ONLY.
18752	STONHARD 186D STONFIL OP2 LATEX	APPROVED FOR USE AT SPACE PARK

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
19074	STONHARD 235D STONFIL OP2 PRIMER LATEX	Approved for Rancho Bernardo- same restrictions/controls apply as those listed for Space Park
18745	STONHARD 274A/67017B/869C SL PRIMER/RESIN/AGGR A/B 1:1:1 W	RESTRICTED TO OFF-HOUR USE ONLY.
22007	STONHARD 50001M 10 INCH CRACK REINFORCEMENT FIBERGLASS MAT	Approved if not cutting.
26826	STONHARD 52104 STONCHEM TOPCOAT AMINE/RESIN 1:1 V	Use indoors with adequate ventilation.
20347	STONHARD 52313 STONCHEM EPOXY PRIMER AMINE/RESIN 1:1 V	Restricted to outdoor use only. Any other use must be reviewed on a case by case basis.
19268	STONHARD 60XXA0/6000B0 STONKOTE GS4 RESIN/HARDENER B/A 1:1 V	Approved if mixed outdoors. ENSURE ADEQUATE VENTILATION SO AS NOT TO EXPOSE NG EMPLOYEES. IF ADEQUATE VENTILATION CAN NOT BE ACHIEVED THEN THE PRODUCT MUST BE USED OFF-HOURS
19269	STONHARD 66520C STONCLAD TX4	APPROVED FOR USE AT SPACE PARK.
22001	STONHARD 6808X/68080 STONLUX SL AMINE/RESIN/AGGRE PLATINUM	Approved when mixing product outdoors
20139	STONHARD 777D STONEFLEX MP7 SURFACE TREATMENT	Approved for use at Space Park
18748	STONHARD 855C STONLUX AT AGGREGATE PART C	ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
18669	STONHARD GS4 PIGMENTED AMINE (BLUSH RESISTANT)	RESTRICTED FOR OFF-HOUR USE ONLY
23189	STONHARD PRIMER ATK EPOXY RESIN/CURING AGENT 1:1 V	Approved for use at Space Park
26823	STONHARD STONCHEM 01811 THIXATROPE	Approved for use at Space Park.
20316	STONHARD STONCHEM 310 RESIN/AMINE/AGGREGATE 1:1:1 V	Restricted to outdoor use only. Any other use must be reviewed and approved by ESH.
26829	STONHARD STONCHEM 52268 A/B 500 SERIES 1:1 V	Use indoors with adequate ventilations
26825	STONHARD STONCHEM 57802 700/800 MORTAR COAT PART C	Restricted to mixing outdoors.
18672	STONHARD STONCLAD AGGREGATE STEEL GRAY	APPROVED FOR USE AT SPACE PARK
26805	STONHARD STONCLAD TEXTURE 2	Outdoor use only.
22203	STONHARD STONDRI MVT RESIN/AMINE PART B/A 1:1 W	Approved for use at Space Park
16422	STONHARD STONECLAD GS RESIN A/B/C	APPROVED FOR USE AT SPACE PARK
18665	STONHARD STONFLEX MP7 ISO/MP7 PEWTER RESIN 1:1 V	Approved for Rancho Bernardo - same restrictions/controls apply as those listed for Space Park. IF ADEQUATE VENTILATION CAN NOT BE ACHIEVED THEN THE PRODUCT MUST BE USED OFF HOURS.
12733	STONHARD STONFLEX MP7 PEWTER RESIN/CURING AGENT 2:1 V	Approved for use at Space Park
23190	STONHARD STONKOTE AT5 RESIN/CURE/FIBERS/ANTISTAT 1:1:1:1 W	Approved for use at Space Park.
12735	STONHARD STONKOTE GS4 STEEL GRAY/PIGMENTED AMINE 1:1:1 V	Any use must be submitted for review on a case by case basis
16414	STONHARD STONKOTE HT4 RESIN/PIGMENTED CURING AGENT 1:1 V	APPROVED FOR USE AT SPACE PARK
24317	STONHARD STONLUX ESD RESIN/AMINE/AGGREGATE 1:1:1 W	Approved for use at Space Park.
18677	STONHARD STONPROOF CT5 BASE/HARDENER PART B/A 4:1 V	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
19270	STONHARD STONPROOF ME7 COATING BASE/HARDENER 1:1 V	APPROVED FOR USE AT SPACE PARK.
19271	STONHARD STONSET PM5 EPOXY PATCHING MORTAR RESIN/HARD 1:1 V	APPLIED DURING OFF HOURS ONLY. ENSURE EYE WASH AND SHOWER IN WORK AREA.
19695	STONHARD STONSET PM5 GROUT KIT A/B 1:1 V (USE CRP 19271)	Restricted to off hours or outdoor use. Ensure eye wash and shower in the area of use. Any other use must be reviewed on a case by case basis.
11166	SUBURBAN (CRESTWOOD) COMMERCIAL ODORIZED PROPANE	Restricted to 10 cubic feet at any time on site. Any other amount must be submitted for review on a case by case basis.
18646	SULZER METCO TINE WIRE	APPROVED FOR USE AT SPACE PARK
18725	SUNCOAST CITRUS KING THE KING OF NATURAL CLEANERS	APPROVED FOR USE AT SPACE PARK
20261	SUNOCO ACETONE (OBSOLETE)	Restricted to 1gallon use outdoors and up to 5 gallons in storage. Any other use must be submitted for review on a case by case basis.
21214	SUNSHINE 11001 SIMPLE GREEN CLEAN BUILDING CLNR CONCENTRATE	Approved for use at Space Park. Eye wash shall be in the immediate area of use.
417	SUNSHINE 13000 SIMPLE GREEN ALL-PURPOSE CLEANER (COMMERCIAL)	Approved for use at Space Park. PD - United Pumping for trench cleaning
18606	SUNSHINE 13005 SIMPLE GREEN ALL PURPOSE CLEANER/WATER 1:1 V	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
19797	SUNSHINE 18300 SIMPLE GREEN STAINLESS STEEL ONE-STEP CLEANER	Approved for use at Space Park.
16521	SUPREME CHEMICAL KRUD KUTTER METAL CLEAN & ETCH	APPROVED FOR USE AT SPACE PARK
2144	SWAGELOK SNOOP LEAK DETECTOR	Approved for use at Space Park.
24435	SWIFT RESPONSE FLEX SEAL CLEAR SPRAY AEROSOL	Space Park Site - Ensure adequate ventilation and off-hour use only
23408	SWIFT RESPONSE FLEX SEAL LIQUID RUBBER SEALANT	Approved for use at Space Park
22927	SYGENTA A20377A ADVION ANT GEL	Approved for use at Space Park.
22929	SYGENTA A20382A ARILON INSECTICIDE	Approved for use at Space Park
22949	SYGENTA A9795B OPTIGARD FLEX LIQUID	Approved for use at Space Park.
22343	SYNGENTA A12333D BARRICADE 4FL HERBICIDE	Facilities - Landscape Space Park and El Segundo
19478	SYNGENTA A12690A DEMAND CS INSECTICIDE	Approved for use at Space Park.
22342	SYNGENTA A6780D BANNER MAXX FUNGICIDE	Facilities - Landscape Space Park and El Segundo
24286	SYNGENTA ADVION COCKROACH GEL BAIT	If product is used indoors it must be applied during off-hours.

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
21154	T CHRISTYS PRO-LUBE	Approved for use at Space Park.
4850	T CHRISTYS RED HOT BLUE GLUE PVC PLASTIC PIPE CEMENT LOW VOC	SP - Restricted to one quart indoors and ensure eye wash station in work area.
23646	TARKETT JOHNSONITE 905 RELEASABLE ADHESIVE	Approved for use at Space Park
23647	TARKETT JOHNSONITE 930 EPOXY CAULKING PART A/B 1:1 V	Approved for use at Space Park
23649	TARKETT JOHNSONITE 960 COVE BASE ADHESIVE	Approved for use at Space Park
16331	TARKETT JOHNSONITE 965 FLOOR AND TREAD ADHESIVE	Approved for Space Park Use
23650	TARKETT JOHNSONITE 975 URETHANE ADHESIVE PART A/B 1:1 V	Approved for use at Space Park
21282	TARKETT JOHNSONITE 996 EPOXY ADHESIVE PART A/B 1:1 V	Approved for use at Space Park
22100	TARR XYLENE	Restricted to mixing in the parking lot and away from ventilation intakes.
22348	TEK METALS AMMONIA SULFATE STAND GRADE 21-0-0-24S FERTILIZER	Facilities - Landscape Space Park and El Segundo
25963	TENNANT 60618 MEDIUM GRAY COLORANT	Approved for use at Space Park.
23847	TENNANT ECO-CRETE SL FLOORING SYSTEM PART A/B/C 1:1:1 W	Restricted to mixing outdoors and applied during off-hours.
24877	TENNANT ECO-FLEX FLEXIBLE EPOXY PRIMER COAT PART A/B 1:1 V	Approved for use at Space Park.
21320	TENNANT ECO-HTS 100 SATIN URETHANE TOPCOAT 1:0.25:0.2 V	Space Park restricted use to off-hours only.
24876	TENNANT ECO-MVR 100 MOISTURE VAPOR REDUCER COATING 2.1:1 V	Approved for use at Space Park.
12718	TENNANT ECO-RCE RAPID CURE EPOXY PART A/B 2:1 V	Approved for use at Space Park.
21296	TENNANT ECO-SHIELD HIGH WEAR EPOXY A/B/C 1:1:1 V	Approved for use at Space Park when mixed outdoors. Contractor to provide eye wash and have available ample water for 15 minute flushing for potential skin contact in the area of use.
24878	TENNANT ECO-TCP THICK COAT POLYASPARTIC TOPCOAT A/B 1.5:1 V	Approved for use at Space Park
25756	TENSORGRIP L20 LOW VOC CONTACT ADHESIVE (CANISTER)	Restricted to one time use only. Use will be reviewed on a case by case basis.
21621	TERRAZZO ACOUSTICAL MEMBRANE PART A/B 1:1 W	Approved for use at Space Park.
21623	TERRAZZO TERROXY RESIN SYSTEMS ACRYLIC SEALER	Restricted to one container in use at a time and 2 gallons inside a building.
21620	TERRAZZO TERROXY RESIN SYSTEMS PRIMER PART A/B 2:1 V	Approved for use at Space Park.
21622	TERRAZZO TERROXY RESIN SYSTEMS TERRAZZO MATRIX PART A/B 5:1V	Approved for use as Space Park
22111	TESORO 888100008809 UNLEADED GASOLINE	Limited to 5 gallons.
23242	TESORO CARB DIESEL LOW SULFUR (LSD) ULTRA LOW SULFUR (ULSD)	Approved for use at Space Park.
20007	THERMAFIBER BONDED PRODUCTS INSULATION	Approved for use at Space Park.
16702	THOMAS & BETTS 0023 XTRAFLEX LIQUIDTIGHT NON-METAL CONDUIT	APPROVED FOR USE AT SPACE PARK
22113	THOMAS & BETTS SL-5 SILICONE LUBRICANT	Approved for use at Space Park.
16692	THOMAS & BETTS TY-RAP DETECTABLE POLYPROPYLENE CABLE TIES	APPROVED FOR USE AT SPACE PARK
16687	THOMAS AND BETTS 15-230 WIRESLICK LUBRICANT	APPROVED FOR USE AT SPACE PARK
693	THOMAS AND BETTS KOPR-SHIELD LUBRICANT	APPROVED FOR USE AT SPACE PARK
16695	THYSSENKRUPP MATERIALS COPPER/COPPER ALLOYS	Approved for outdoor use if away from ventilation intakes. Restricted from cutting or grinding indoors due to chronic toxicity of fumes. Any other use must be submitted for review on a case by case basis.
19173	TNEMEC 27WB-0027B TYPOXY CONVERTER	APPROVED FOR USE AT SPACE PARK
19172	TNEMEC 27WB-OOWHA TYPOXY ARCTIC WHITE	APPROVED FOR USE AT SPACE PARK
23121	TOP CAST 145523 TOP CAST BLUE 75 VOC SURFACE RETARDER	Approved for use at Space Park.
21173	TOP INDUSTRIAL RAINBUSTER 900 (ALL COLORS/PACKS) SEALANT	Approved with restriction of 1 300 ml tube used off hours use indoors only. Any other use must be reviewed on a case by case basis.
4358	TRANE OIL00022 TRANE OIL 22	Approved for use at Space Park.
23195	TRAXX TRAXXSHIELD SOLVENT FREE PRIMER	Approved for use at Space Park.
21572	TRELLEBORG S26263 (WAYCLEAN II) WAYPREP INDUSTRIAL DEGREASER	Approved for use at Space Park.
21563	TRELLEBORG WAYLOCK II ADHESIVE PART A/B 1:1 V	Approved for use at Space Park with adequate ventilation and no more than a total of 2 quarts
17538	TREMCO 008155 601 BURMASTIC GLASS PLY	APPROVED FOR USE AT SPACE PARK
11800	TREMCO 022053 805 TREMPRIME WB PRIMER 5 GAL	APPROVED FOR USE AT SPACE PARK
16724	TREMCO 032560 502 TREMCO/A1GRIT SNOW WHITE AGGR.80#/BAG	Approved for outdoor use if away from ventilation intakes. Restricted from indoor use due to chronic toxicity. Any other use must be submitted for review on a case by case basis.
16753	TREMCO 043-LINE HYPALON ELASTOMERIC SHEET	APPROVED FOR USE AT SPACE PARK
17524	TREMCO 046404 805 TREMPHY HP4510 ADH.WB 5 GAL	APPROVED FOR USE AT SPACE PARK
16723	TREMCO 046505 805 SHEETING BOND WHITE AF 5 US GAL	Restricted to off-hour use and limited to 15 Gallon bucket at a time
16782	TREMCO 086100 512 WALLTITE PRIMER	APPROVED FOR USE AT SPACE PARK
17520	TREMCO 108156 601 BURMASTIC FELT COMPOSITE PLY	APPROVED FOR USE AT SPACE PARK
18812	TREMCO 108600 601 BURMASTIC COMPOSITE PLY PREMIUM GREEN	Restricted to outdoor use only. Any other use must be submitted for review on a case by case basis.
16722	TREMCO 108700 601 BURMASTIC COMPOSITE PLY HT	APPROVED FOR USE AT SPACE PARK
19199	TREMCO 253100 817 TREMPRIME NON-POROUS PRIMER	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
19351	TREMCO 304510LV805 TREMPROOF 250 GC-R-LV 5 GAL	Approved for outdoor use and restricted indoors.
16526	TREMCO 34407000 805 HBRC WHITE 5 GAL	APPROVED FOR USE AT SPACE PARK
16779	TREMCO 346100 805 TREMLITE MASTIC-TROWEL GRADE 5 US GL	APPROVED FOR USE AT SPACE PARK
16372	TREMCO 346102 805 POLARCOTE FR WHITE 5 US GAL	Approved for use at Space Park.
16432	TREMCO 346305 805 TREMLITE RUST PRIMER WB-GRAY	APPROVED FOR USE AT SPACE PARK
16721	TREMCO 347028 601 BURMASTIC GL	APPROVED FOR USE AT SPACE PARK
23061	TREMCO 351675 ALPHAGUARD WB PRIMER 1 GAL	Approved for Space Park
23060	TREMCO 351680 ALPHAGUARD M-PRIME 1 GAL	Approved for use at Space Park
17528	TREMCO 360604 805 ELS-SUMMER GRADE 5 GAL US	APPROVED FOR USE AT SPACE PARK
11865	TREMCO 360606 805 ELS 5 GL ROOFING CEMENT	APPROVED FOR USE AT SPACE PARK
16752	TREMCO 361590 805 POLYROOF LV 5 U.S.GAL (19L)	Approved for outdoor use if away from ventilation intake. Restricted to 1 gallon indoors due to chronic health effects. Any other use must be submitted for review on a case by case basis.
16754	TREMCO 362200 805 FAS N FREE ADHESIVE 5 GL	Approved for outdoor use if away from ventilation intake. Restricted to 5 gallons indoors due to chronic health effects. Any other use must be submitted for review on a case by case basis.
23561	TREMCO 362300304 LOW RISE ADHESIVE PART A/B 1:1 V	Approved for outdoor applications only.
16720	TREMCO 364-100L BURMASTIC ADHESIVE LV (DUPLICATE)	APPROVED FOR USE AT SPACE PARK
17518	TREMCO 364-100L BURMASTIC ADHESIVE LV	APPROVED FOR USE AT SPACE PARK
16571	TREMCO 36APPBAS601 POWERPLY APP BASE SHEET-1.5 SQ ROLL	APPROVED FOR USE AT SPACE PARK
25825	TREMCO 36APPSM601 POWERPLY APP FR 1 SQ ROLL	Approved for use at Space Park.
16570	TREMCO 36APPSM601 POWERPLY APP SMOOTH-1.0 SQ ROLL	APPROVED FOR USE AT SPACE PARK
18822	TREMCO 36SABAS601 POWERPLY SA BASE SHEET-2.0 SQ ROLL	Restricted to outdoor use only. Any other use must be submitted for review on a case by case basis.
18823	TREMCO 36STDFR601 POWERPLY STANDARD FR-WHITE GRANULE	Restricted to outdoor use only. Any other use must be submitted for review on a case by case basis.
18813	TREMCO 36STDT24601 POWERPLY STANDARD FR T24 ROLL	Restricted for outdoor use only. Any other use must be reviewed on a case by case basis.
23545	TREMCO 370110805 ECOLASTIC COATING	Product can only be applied with a mop not sprayed on the roof due to toxicity of product.
16719	TREMCO 4140U503 6X300 BURMESH 6 RL	APPROVED FOR USE AT SPACE PARK
25068	TREMCO 470070/470060 PUMA PRIMER/INITATOR 1:1 V	Approved for Space Park Use
25071	TREMCO 470080 PUMA CLEANER	Use in outdoor locations only and seal ventilation intakes.
25069	TREMCO 470373 PUMA BC R BASE COAT ROLLER GRADE	Ensure adequate ventilation in the area and exhausted outdoors.
25070	TREMCO 470718 PUMA TC TOP COAT GRAY	Approved for Space Park use
17521	TREMCO 49600B503 TREMPPLY HP4510 61 X 120	APPROVED FOR USE AT SPACE PARK
19154	TREMCO 505345 503 TPA 45 ORIGINAL MIL FIELD SHEET 78X108	APPROVED FOR USE AT SPACE PARK
19153	TREMCO 505410805 TPA LV SINGLE PLY BONDING ADHESIVE 5 GAL	APPROVED FOR USE AT SPACE PARK
22158	TREMCO 505420805 TPA FLEECE BACKED WB SINGLE PLY ADHESIVE	RESTRICTED to one 5-gallon container during business hours.
19352	TREMCO 534601503 TREMDRAIN 1000	Approved for use at Space Park.
16431	TREMCO 86700A512 WALLTITE-WHITE 5USGAL	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
16780	TREMCO 876020 320 TREMSEAL S B	APPROVED FOR USE AT SPACE PARK
16726	TREMCO 876-036 TREMSEAL HP BASE	Approved for outdoor use if away from ventilation intake. Restricted to 5 gallons indoors due to chronic health effects. Any other use must be submitted for review on a case by case basis.
16725	TREMCO 876101 309 TREMSEAL D 30/CS (USE CRP 16337)	Approved for outdoor use if away from ventilation intake. Restricted to 5 gallons indoors due to chronic health effects. Any other use must be submitted for review on a case by case basis.
16337	TREMCO 876101 309 TREMSEAL D 30/CS SEALANT	Approved for use at Space Park.
25122	TREMCO 876450309 TREMSEAL PRO WHITE SEALANT	Restricted to outdoor use only and away from ventilation intakes.
19124	TREMCO 93163V260 TREMPROJS773 OFFWHT-52 USGL-W/L(43.51GL)	APPROVED FOR USE AT SPACE PARK
20171	TREMCO 960712 DYMONIC FC SEALANT IN GRAY	Restricted to outdoor use only. Any other use must be approved on a case by case basis.
25072	TREMCO 965878C323 DYMONIC 100 ANODIZED ALUMINUM SEALANT	Use in outdoor locations only away from ventilation intakes. Seal intakes.
23063	TREMCO ALPHAGUARD BIO BASE COAT PART A/B 5:1 V	Approved for use at Space Park.
23062	TREMCO ALPHAGUARD BIO TOP COAT PART A/B 5:1 V	Approved for use at Space Park.
20460	TREMCO DEV1440DC805 DEV ROCK-IT WB ADHESIVE	Restricted to off-hour use only and cover ventilation with carbon filters.
16755	TREMCO DEV1863-RL33 855 ROCK-IT ADHESIVE 55 GAL DRUM	Restricted to off-hour use only and cover ventilation intakes with carbon filters
18814	TREMCO DEV-T1931-BK24 WIP-POWERPLY WHITE ON WHITE ADHESV.V3	APPROVED FOR USE AT SPACE PARK
23363	TREMCO DYMIC 240FC SEALANT PART A/B	Approved for use as Space Park.
23217	TREMCO POWERPLY ENDURE BIO ADHESIVE BASE/CURE A/B 4:1 V	Approved for use at Space Park
23259	TREMCO SOLARGARD 6083 BASE COAT	Approved for Use at Space Park
25826	TREMCO SOLARGARD 6083 FINISH COAT	Approved for Use at Space Park
25827	TREMCO SOLARGARD ACRYLIC SEALER	Approved for use at Space Park

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
23832	TREMCO SOLARGARD HY-BUILD SCC MEDIUM BRONZE COATING	Approved for use at Space Park.
23833	TREMCO SOLARGARD RUST PRIMER WB COATING	Approved for use at Space Park.
16363	TREMCO SP PRIMER	APPROVED FOR USE AT SPACE PARK.
23618	TREMCO TREMLASH (TF) SEALANT TAPE	Approved for use for Space Park.
25828	TREMCO TREMLASTIC S COATING	Approved for use at Space Park.
19200	TREMCO TREMLITE METAL PRIMER WB #3358 GREY METAL PRIMER	DENIED FOR USE AT SPACE PARK.
25134	TREMCO TREMPRIME VB PRIMER PART A/B 2:1 V	Approved for use at Space Park.
23623	TREMCO TREMSEAL PRO POLYURETHANE SEALANT	Restricted to outdoor use only
10277	TREMCO VULKEM 116 POLYURETHANE SEALANT IN GRAY	Outdoor use only given respiratory sensitization. Indoor use approved by a case by case basis.
4992	TREMCO VULKEM 171 271171 817 PRIMER	ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS.
25096	TREMCO VULKEM 350 NF R COATING	Restricted to outdoor use only and away from ventilation intakes.
19791	TREMCO VULKEM 360 NF SL POLYURETHANE BASECOAT	Restricted to 5 gallons outdoor use only. Any other use must be submitted for review on a case by case basis.
21498	TREMCO VULKEM 801 ALUMINIZED COATING GRAY	Restricted to outdoor use only and close fresh air intakes of AC units. DO not expose NGC personnel to vapors mists dust. Contractor to remove all containers from site (full partial or empty)
25095	TREMCO VULKEM 950 NF BEIGE TOPCOAT/CATALYST 3.25:0.95 V	Restricted to outdoor use only and away from ventilation intakes
19792	TREMCO VULKEM 951 NF CLEAR TOPCOAT/CATALYST 3.75:0.85 V	Restricted to 5 gallons used outdoors only given toxicity. Any other use must be submitted for review on a case by case basis.
21686	TRI-ART REFERENCE WHITE FINISH COAT	Approved for use at Space Park.
21687	TRI-ART REFERENCE WHITE REFLECTIVE COAT	Approved for use at Space Park
23417	TROPICAL 951 ETERNAPATCH WHITE ELASTOMERIC ROOF PATCH	Approved for use at Space Park.
25452	TYCO ANSUL ABC MULTI-PURPOSE DRY CHEMICAL AGENT	Approved for use at Space Park
18601	TYCO EPPA-117 [RAYCHEM] S1189 STRESS RELIEF MATERIAL (SRM)	APPROVED FOR USE AT SPACE PARK
18602	TYCO RAY4084 TDUX AND RDSS LUBRICANT	APPROVED FOR USE AT SPACE PARK.
22306	UNISORB K-818 SHIP-SAFE V-100 GROUT RESIN/HARD 7.29:1 W	Approved for Space Park.
22448	UNISORB V-100 STANDARD EPOXY GROUT RESIN/HARDENER 16:1 W	Approved for use at Space Park. Approved for use in Palmdale.
20333	UNISOURCE U23001/U23002 CLING BRITE CLEANER DEODERIZER	Restricted to outdoor use or diluted for indoor use. Mix outdoors. Ensure eye wash and shower in the area of use. Any other use must be submitted for review on a case by case basis.
22320	UNITED INITIATORS 185542 NOROX MEKP-925H	Approved for use at Space Park.
19196	UNITED STATES GYPSUM SHEETROCK ACOUSTICAL SEALANT	Approved for use at Space Park
21172	UNITED STATES GYPSUM STRUCTO-LITE BASECOAT	Restricted to outdoor mixing only. Any other use must be approved on a case by case basis.
16462	UNITED STATES GYPSUM USG SHEETROCK BRAND GYPSUM PANELS	APPROVED FOR USE AT SPACE PARK.
19860	UNIVAR MASTERLINE BIFENTHRIN 7.9 TERMICIDE/INSECTICIDE	Submit for review on a case by case basis..
23269	UNIVAR SULFURIC ACID WITH MORE THAN 51%	Approved for use at Space Park
22987	UNIVERSAL POLYMER UPC 2700 2K-WB URETHANE BASE/HARD 3:1 V	Restricted for off hour use only
18581	UNOCAL 76 00406 UNLEADED PLUS 87 GASOLINE M/H	ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS..
23948	US MINERAL CAFCO 300 SPRAY-APPLIED FIRE RESISTIVE MATERIAL	Approved for use at Space Park.
23956	US MINERAL ISOLATEK QWIK-SET ACECELERATOR FOR SFRM	Approved for use at Space Park.
19156	US MIX CO HUB SUPER BONDCRETE	APPROVED FOR USE AT SPACE PARK.
18913	US MIX HUB 100 II	OK TO USE IF MIXED OUTDOORS
23928	US MIX HUB ALL RESIN CLEAR CURE	Approved for use at Space Park.
23927	US MIX HUB PREMIUM GOLD FORM RELEASE	Approved for use at Space Park.
17558	USG 41-200-008 CLEAN ROOM CLIMAPLUS CLASS 100	APPROVED FOR USE AT SPACE PARK.
21629	USG MICORE 300 MINERAL FIBER BOARD	Restricted to cutting of any material outside.
26716	UZIN UTZ NA NC886 PREMIUM SKIM AND REPAIR COMPOUND	restricted to mixing outdoors away from ventilation intakes.
26717	UZIN UTZ NA NC888 PREMIUM PLUS TURBO PATCHING COMPOUND	restricted to mixing outdoors away from ventilation intakes.
22347	VALENT 1694 ARENA 50 WGD INSECTICIDE	Facilities - Landscape Space Park and El Segundo
21093	VALERO DIESEL FUEL NO 2	Product is restricted for review on a case by case basis based to assess location and quantity of use.
19874	VALSPAR 082.2223111 BATTERY CLEANER CATERPILLAR PSU	Restricted to 12 ounce can. Any other larger quantity must be submitted for review on a case by case basis.
19087	VALSPAR 214286 SIGNATURE SANDSTONE FINISH	DENIED FOR USE AT SPACE PARK.
25858	VELOBOND VELO 85 CONCRETE JOINT FILLER PART A/B 1:1 V	Restricted to 3-22 ounce tubes
26730	VERSATILE PREMIUM PRESSURE SENSITIVE ADHESIVE FOR CARPET	Approved for use at Space Park
16635	VICTAULIC LUBRICANT (VIC LUBE)	APPROVED FOR USE AT SPACE PARK
9060	VICTOR EQUIPMENT MAPP GAS 0916-0009	RESTRICTED TO ONE 16 OUNCE BOTTLE. ANY ONTHER USE WILL REQUIRE REVIEW ON A CASE BY CASE BASIS.
21168	VICTOR EQUIPMENT MAP-PRO PREMIUM HAND TORCH FUEL	Approved 1-14 ounce bottle anytime in the building. Any other use must be reviewed on a case by case basis.
21541	VISTA 6900 TRAFFIC PAINT FAST DRY WHITE	Approved for use at Space Park and Palmdale

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
21542	VISTA 6901 TRAFFIC PAINT FAST DRY YELLOW	Approved for use at Space Park.
12932	VISTA PAINT 1100 HI-BUILD SEALER	APPROVED FOR USE AT SPACE PARK.
16509	VISTA PAINT 1700 W.B.LOW SHEEN WHITE-P	APPROVED FOR USE AT SPACE PARK.
16510	VISTA PAINT 3600 MAINTENANCE FLAT WHITE	APPROVED FOR USE AT SPACE PARK.
12838	VISTA PAINT 6700 TRAFFIC PAINT WHITE	Approved for use at Space Park.
12851	VISTA PAINT 6800 TRAFFIC PAINT SEMI-GLOSS WHITE	Approved for use at Space Park.
12954	VISTA PAINT 7000 ACRIGLO S/G BRIGHT WHITE	APPROVED FOR USE AT SPACE PARK
22226	VISTA PAINT 9702 PROTEC SATIN 9700 SERIES IN ALUMINUM SATIN	Approved for use at Space Park.
12756	VISTA PAINT 9800 SEMI-GLOSS DIRECT TO METAL	APPROVED FOR USE AT SPACE PARK.
12953	VISTA PAINT DF12 WATERBASE DRY FOG WHITE FLAT PAINT	Approve for use at Space Park
19574	VPI 150 CONDUCTIVE EPOXY ADHESIVE PART A	APPROVED FOR USE AT SPACE PARK.
19575	VPI 150 CONDUCTIVE EPOXY ADHESIVE PART B	APPROVED FOR USE AT SPACE PARK.
20956	VPI 165 CONDUCTIVE ADHESIVE	Approved for use at Space Park
16813	W M BARR GOOF OFF PROFESSIONAL STRENGTH VOC COMPLIANT	ANY USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS.
16774	W.F. TAYLOR 1000-4-SI SHAW SUP GRADE CARPET ADHESIVE	APPROVED FOR USE AT SPACE PARK
16775	W.F. TAYLOR 1NC-4 SPECIAL PURPOSE CONTACT CEMENT VOC COMPLIA	DENIED FOR USE AT SPACE PARK
10756	W.F. TAYLOR 2080 ENVIROTEC THE LEGEND DUAL PURPOSE ADHESIVE	Approved for use at Space Park.
11131	W.F. TAYLOR 710 TOUCHDOWN KWIK SEAM LATEX ADHESIVE	Approved for use at Space Park.
10764	W.F. TAYLOR 722 LATEX BASED FAST TAC PAD-HESIVE	Approved for use as Space Park.
24378	WACKER 60003071 SILICONE PASTE P	Approved for use at Space Park.
19353	WARREN DISTRIBUTION SUPER TECH MOLY LITHIUM GREASE	Approved for contractors use at Space Park
22724	WARREN NHF 85805 NAPA QUALITY HYDRAULIC OIL AW-46	Approved for use at Space Park.
16650	WASHINGTON ALLOY AWS A5.4 BARE STAINLESS STEEL ELECTRODE	APPROVED FOR OUTDOOR USE ONLY DUE TO CHRONIC TOXICITY OF WELDING FUMES. ANY OTHER USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS.
16763	WAXIE 380191 PINA COLADA HAIR & BODY SHAMPOO	APPROVED FOR USE AT SPACE PARK.
16769	WAXIE A00183 GUM AWAY II CHEWING GUM & CANDLE WAX REMOVER	Restricted to 12 ounces given flammability. Any other use must be submitted for review on a case by case basis.
19708	WAXIE PURE REFLECTION FLOOR FINISH	Approved for use at Space Park.
3521	WD-40 MULTI-USE LUBRICANT AEROSOL (50 STATE - INCLUDES CA)	Approved for use at Space Park
24218	WD-40 SPECIALIST DEGREASER INDUSTRIAL STRENGTH AEROSOL	Approved for Use at Space Park
19293	WELCO MANUFACTURING WEL-COTE TRISODIUM PHOSPHATE	APPROVED FOR USE AT SPACE PARK.
26796	WELDCOTE METALS TIN AND LEAD SOLID SOLDER	Restricted to outdoor use only.
18716	WELLMARK INTERNATIONAL PRECOR 2000 PLUS PREMISE SPRAY (FLEA)	Retricted to 10 ounces on site. Any other use must be reviewed on a case by case basis.
9877	WELLMARK ZOECON GENTROL IGR CONCENTRATE	If product is used indoors it must be applied during off-hours.
26851	WEST PENETONE WEDAK CLEANER	Approved for use at Space Park.
19722	WEST SYSTEM 650 G/FLEX EPOXY RESIN/HARDENER A/B 1.2:1 V	Approved for use at Space Park.
16379	WESTERN COLLOID 800 ELASTIC CEMENT	APPROVED FOR USE AT SPACE PARK.
23053	WESTERN COLLOID WC 720 ELASTAHYDE 720 ARC WHITE ROOF COATING	Approved for use at Space Park.
25726	WESTPAC CEILING TEXTURES (CONTRACTOR)	Approved for use at Space Park.
16492	WESTPAC FAST SET 5 LITE SETTING COMPOUND	APPROVED FOR USE AT SPACE PARK
25729	WESTPAC FAST SET COMPOUNDS	Approved for use at Space Park.
25727	WESTPAC PREP COAT	Approved for use at Space Park.
25724	WESTPAC READY TEX (READY MIX TEXTURE)	Approved for use at Space Park.
16463	WESTPAC READY-MIX JOINT COMPOUNDS (CONTRACTOR)	Approved for use at Space Park.
25728	WESTPAC SMOOTH COAT	Approved for use at Space Park.
16464	WESTPAC WALL TEXTURES (CONTRACTOR)	APPROVED FOR USE AT SPACE PARK.
20178	WF TAYLOR 1N-1 TOUCHDOWN NO 1 CONTACT CEMENT HIGH FLASH	Restricted to 4 gallons off hours with adequate ventilation. Any other use must be submitted for review on a case by case basis.
20663	WF TAYLOR 2027-4 ENVIROTEC PRESSURE SENSITIVE ADHESIVE	Approved for use at Space Park.
10757	WF TAYLOR 2033 ENVIROTEC CLEAR THIN SPREAD TILE ADHESIVE	Approved for use at Space Park.
21397	WF TAYLOR 2091 META-TEC TUFF-GRIP TILE/PLANK TPS ADHESIVE	Approved for use at Space Park
19128	WF TAYLOR FINALE 2040 PREMIUM COVE BASE ADHESIVE	Approved for use at Space Park.
26739	WF TAYLOR LOKWORX RESILIENT ADHESIVE	Approved for use at Space Park
26713	WF TAYLOR LOKWORX+ CARPET TILE ADHESIVE	Approved for use at Space Park.
21104	WHITE CAP BRIGADE WAX BASED FLOOR SWEEPING COMPOUND	Approved for use at Space Park.
17566	WHITE CAP CONCRETE CURE CLEAR VOC	DENIED FOR USE AT SPACE PARK.
10110	WILLIAM ZINSSER 3608 COVER STAIN SPRAY	DENIED FOR USE AT SPACE PARK.
20445	WILSONART DECORATIVE LAMINATE (ALL GRADES)	Approved for use at Space Park.
21688	WILSONART PEG 2020 ADHESIVE FOR LAMINATE	Approved for use at Space Park.
9061	WISEMAN EVERFLUX WATER SOLUBLE SOLDERING FLUX	APPROVED FOR USE AT SPACE PARK.
20208	WJ RUSCOE P-44 PAN-L-BOND URETHANE ADHESIVE	Restricted to off hour use with adequate local exhaust ventilation.
4577	WM BARR KLEAN STRIP ACETONE	Approved for use at Space Park
19576	WM BARR KLEAN STRIP ODORLESS MINERAL SPIRITS	Approved for use at Space Park
22166	WM BARR KLEAN STRIP PAINTERS SOLVENT FOR SCAQMD	Used off hours or outdoors and away from ventilation intakes.

SPACE PARK CONTRACTOR HAZARDOUS MATERIAL LIST

Revised on: 1/12/2024

CRP#	MANUFACTURER AND PRODUCT NAME	STATUS AND RESTRICTIONS AND/OR REQUIREMENTS
16793	WM BARR QAC18 KLEAN-STRIP ACETONE (USE CRP 4577)	If used indoors restricted to 1 gallon only
16896	WOLVERINE 28639 SILVABRITE LEAD-FREE SOLDER	APPROVED FOR USE AT SPACE PARK
19664	WOLVERINE 29777 TIN/ANTIMONY (95/5) SOLDER ALLOY	Use outdoors or indoors with local exhaust ventilation.
19127	WOLVERINE ECONOBRITE SILVABRITE 100 SILVALOY B-7T B-7TV..	RESTRICTED TO OUTDOOR USE ONLY DUE TO TOXICITY OF WELDING FUMES. ANY OTHER USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS.
16877	WOLVERINE SILVALOY 15 (AWS BCUP-5)	Approved for 16 pounds. Any other use must be submitted for review on a case by case.
19126	WOLVERINE SILVALOY ALLOYS (VARIOUS PC)	APPROVED FOR OUTDOOR USE ONLY. ANY OTHER USE MUST BE SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS.
20864	WORTHINGTON MAP-PRO PREMIUM HAND TORCH FUEL	Accepted for welding only.
18910	WR GRACE M-85822 BITUTHENE LIQUID MEMBRANE PART A/B 1:1V	ANY USE MUST SUBMITTED FOR REVIEW ON A CASE BY CASE BASIS
16604	WR GRACE Z01753 RETROGUARD FIREPROOFING	APPROVED FOR USE AT SPACE PARK
19393	WR GRACE Z-01797 MK-6-HY FIREPROOFING	Due to chronic toxicity for indoor during off hours use only.
18912	WR MEADOWS 1100 (1100-CLEAR) CURING COMPOUND	APPROVED FOR USE AT SPACE PARK.
18726	WR MEADOWS 3425000-5 VOCOMP-25	APPROVED FOR USE AT SPACE PARK.
19973	WS DODGE THREAD GAIN 200-X OR 200-XL LUBRICANT	Approved for use at Space Park.
26292	WYO-BEN ENVIROPLUG 8 BACKFILL MATERIAL	Restricted to mixing outdoors or if indoors saturate solids with water
21136	WYO-BEN LYNCOLE XIT GROUNDING LYNCONITE II BACKFILL MATERIAL	Restricted to off hour use indoors.
20976	XL BRANDS GOLD STIX AQUEOUS ADHESIVE	Approved for use at Space Park.
23653	XYPEX CONCENTRATE DS-1 CEMENTITIOUS CONCRETE WATERPROOFING	Approved for use at Space Park
23654	XYPEX CONCENTRATE DS-2 CEMENTITIOUS CONCRETE WATERPROOFING	Approved for use at Space Park
23941	XYPEX PATCH N PLUG	Mix outdoors away from ventilation intakes and reactive with strong acids.
19933	ZEP 0030 ZEP 70 AEROSOL PENETRATING LUBRICANT PSU	Approved for use at Space Park
21204	ZEP COMMERCIAL HDSWEEP SWEEPING COMPOUND	Approved for use at Space Park.
16388	ZEP COMMERCIAL ZUNRS NO-RINSE FLOOR DISINFECTANT	APPROVED FOR USE AT SPACE PARK
19934	ZEP F500 FORMULA 50 RTU CLEANER	Restricted to a case by case basis.
21215	ZEP ZU0856 INDUSTRIAL PURPLE CLEANER CONCENTRATE	Approved for use at Space Park. Ensure eyewash in the immediate area of use.
21267	ZEP ZUABS INSTANT SPILL ABSORBER	Approved for use at Space Park
16759	ZING INTERNATIONAL FIRST IMPRESSION	APPROVED FOR USE AT SPACE PARK
16758	ZING INTERNATIONAL CPC FLOOR MAINTAINER	APPROVED FOR USE AT SPACE PARK
16760	ZING INTERNATIONAL FLOOR COATING PLUS	APPROVED FOR USE AT SPACE PARK
16662	ZING INTERNATIONAL TIME RELEASE FINISH EMULSIFIER	APPROVED FOR USE AT SPACE PARK
16757	ZING INTERNATIONAL ZING CPC LIQUID	APPROVED FOR USE AT SPACE PARK
16761	ZING INTERNATIONAL ZING FLOOR PREP	APPROVED FOR USE AT SPACE PARK
17560	ZRC AND GALVILITE COLD GALVANIZING COMPOUND AEROSOL	DENIED FOR USE AT SPACE PARK SITE